


# SKELCORE

## INTERNATIONAL EQUIPMENT CATALOG

AUGUST 2026




# PROTECT YOUR SKELETON, BUILD YOUR CORE

**Skelcore has been engineered to build fitness communities and help people develop a better lifestyle through strength and endurance training with biomechanics in mind on each machine.**

**Designed in Miami, USA, where fitness is a way of life and physical activity inspires people to live a healthier life-style, Skelcore understands that our equipment needs to enable consumers and gym owners to achieve their best and drive performance.**



# BENCHES

SKELCORE

# KEY HIGHLIGHTS



HIGH QUALITY PADDING



SPECIALIZED DESIGNS



SEAT AND BACKREST ADJUSTMENT LEVELS



DURABLE STEEL TUBING




SKELCORE

## HEAVY DUTY BLACK ADJUSTABLE BENCH

MODEL NO. SK-BENCH-HD-BPF



- SET UP SIZE (IN/MM): 58.3 X 24.7 X 17.4IN / 1481 X 627 X 443 MM
- MAX USER WEIGHT (LB/KG): 440 LB /200 KG
- STEEL TUBE THICKNESS: 3MM
- FINISH: BLACK POWDER COAT
- PADDING WITH DEBOSED LOGO
- PADDING MADE FROM MULTI-LAYER FOAM WITH AN ANTI-SLIP UPHOLSTERY

**SET UP SIZE:**
58.3 X 24.7 X 17.4IN
(1481 X 627 X 443 MM)

**MAX USER WEIGHT:**
440 LB /200 KG

## HEAVY DUTY STAINLESS STEEL ADJUSTABLE BENCH

MODEL NO. SK-BENCH-HD-SSF




- SET UP SIZE (IN/MM): 58.3 X 24.7 X 17.4IN / 1481 X 627 X 443 MM
- MAX USER WEIGHT (LB/KG): 440 LB /200 KG
- STEEL TUBE THICKNESS: 3MM
- FINISH: STAINLESS STEEL FINISH
- PADDING WITH DEBOSED LOGO - MOLDED MATERIAL
- EVA MOLDED PAD

**SET UP SIZE:**
58.3 X 24.7 X 17.4IN
(1481 X 627 X 443 MM)

**MAX USER WEIGHT:**
440 LB /200 KG

## ADJUSTABLE FID BENCH WITH PIVOT HEADREST

MODEL NO. SK-B-06



- SET UP SIZE (IN/MM): 40.75 X 28.74 X 18.50 IN/ 1035 X 730 X 470 MM
- MAX USER WEIGHT (LB/KG): 440 LB /200 KG
- STEEL TUBE THICKNESS: 3MM
- FINISH: BLACK POWDER COAT
- USAGE: ALL FREEWEIGHT TRANING
- UNIQUE FEATURE: ADJUSTABE HEADREST

**SET UP SIZE:**
40.75 X 28.74 X 18.50 IN
(1035 X 730 X 470 MM)

**MAX USER WEIGHT:**
440 LB /200 KG

## ADJUSTABLE BENCH

MODEL NO. SK-B-13



- SET UP SIZE (IN/MM): 41 X 29 X 19 IN / 1035 X 730 X 470 MM
- MAX USER WEIGHT (LB/KG): 440 LB /200 KG
- STEEL TUBE THICKNESS: 3MM
- FINISH: BLACK POWDER COAT
- USAGE: ALL FREEWEIGHT TRANING

**SET UP SIZE:**
41 X 29 X 19 IN
(1035 X 730 X 470 MM)

**MAX USER WEIGHT:**
440 LB /200 KG

FITNESS EQUIPMENT

SKELCORE

# FLAT BENCH



MODEL NO. SK-B-14

- SET UP SIZE (IN/MM): 48 X 34 X 32 IN / 1207 X 769 X 421 MM
- MAX USER WEIGHT (LB/KG): 440 LB /200 KG
- STEEL TUBE THICKNESS: 3MM
- FINISH: BLACK POWDER COAT
- USAGE: BEST FOR FLAT PRESSING MOVEMENTS

**SET UP SIZE:**
48 X 34 X 32 IN
(1207 X 769 X 421 MM)

**MAX USER WEIGHT:**
440 LB /200 KG

# DUMBBELL BENCH



MODEL NO. SK-B-04

- SET UP SIZE (IN/MM): 31 X 31 X 36 IN / 778 X 775 X 904 MM
- MAX USER WEIGHT (LB/KG): 440 LB /200 KG
- STEEL TUBE THICKNESS: 3MM
- FINISH: BLACK POWDER COAT
- USAGE: BEST FOR STANDARD SEATED DUMBBELL MOVEMENTS

**SET UP SIZE:**
31 X 31 X 36 IN
(778 X 775 X 904 MM)

**MAX USER WEIGHT:**
440 LB /200 KG

# ADJUSTABLE DUMBELL BENCH



MODEL NO. SK-B-05

- SET UP SIZE: 45 X 30 X 34 IN / 1140 X 760 X 855 MM
- MAX USER WEIGHT (LB/KG): 440 LB /200 KG
- STEEL TUBE THICKNESS: 3MM
- FINISH: BLACK POWDER COAT
- USAGE: BEST FOR STANDARD SEATED DUMBBELL MOVEMENTS AND USERS WHO WANT MORE OPTIONS IN THEIR DUMBBELL TRAINING

**SET UP SIZE:**
45 X 30 X 34 IN
(1140 X 760 X 855 MM)

**MAX USER WEIGHT:**
440 LB /200 KG

# PREACHER BENCH



MODEL NO. SK-B-07

- SET UP SIZE (IN/MM): 40.16 X 36.22 X 33.46 IN / 1020 X 920 X 850 MM
- MAX USER WEIGHT (LB/KG): 440 LB /200 KG
- STEEL TUBE THICKNESS: 3MM
- FINISH: BLACK POWDER COAT
- USAGE: BICEP TRAINING

**SET UP SIZE:**
40.16 X 36.22 X 33.46 IN
(1020 X 920 X 850 MM)

**MAX USER WEIGHT:**
440 LB /200 KG

FITNESS EQUIPMENT

SKELCORE



## OLYMPIC FLAT BENCH PRESS

MODEL NO. SK-B-01

- SET UP SIZE (IN/MM): 68.39 X 70.16 X 54.92 IN / 1737 X 1782 X 1395 MM
- MAX USER WEIGHT (LB/KG): 440 LB / 200 KG
- STEEL TUBE THICKNESS: 3MM
- FINISH: BLACK POWDER COAT
- STORAGE: 8 X STORGE WEIGHT HORNS

**SET UP SIZE:**
68.39 X 70.16 X 54.92 IN
(1737 X 1782 X 1395 MM)

**MAX USER WEIGHT:**
440 LB / 200 KG



## OLYMPIC FLAT BENCH PRESS WITH SAFETY ARMS

MODEL NO. SK-B-01-SA

- SET UP SIZE (IN/MM): 68.39 X 70.16 X 54.92 IN / 1737 X 1782 X1395 MM
- MAX USER WEIGHT (LB/KG): 440 LB /200 KG
- STEEL TUBE THICKNESS: 3MM
- FINISH: BLACK POWDER COAT
- STORAGE: 8 X STORGE WEIGHT HORNS
- SAFETY: HEIGHT ADJUSTABLE SPOTTER ARMS

**SET UP SIZE:**
68.39 X 70.16 X 54.92 IN
(1737 X 1782 X1395 MM)

**MAX USER WEIGHT:**
440 LB /200 KG



## OLYMPIC BENCH SPOTTER ARM ATTACHMENT (PAIR)

MODEL NO. SK-B-SA

- SET UP SIZE (IN/MM): 51 X 32 X 23 IN / 3305 X 2570 X 55 MM
- USAGE: SAFETY ATTACHMENT TO OLYMPIC BENCHES

**SET UP SIZE:**
51 X 32 X 23 IN
(3305 X 2570 X 55 MM)



## OLYMPIC INCLINE BENCH PRESS

MODEL NO. SK-B-02

- SET UP SIZE (IN/MM): 69.72 X 70.04 X 61.81 IN / 1771 X 1779 X 1570 MM
- MAX USER WEIGHT (LB/KG): 440 LB /200 KG
- STEEL TUBE THICKNESS: 3MM
- FINISH: BLACK POWDER COAT
- STORAGE: 8 X STORGE WEIGHT HORNS

**SET UP SIZE:**
69.72 X 70.04 X 61.81 IN
(1771 X 1779 X 1570 MM)

**MAX USER WEIGHT:**
440 LB /200 KG

## OLYMPIC DECLINE BENCH PRESS



MODEL NO. SK-B-03

- SET UP SIZE (IN/MM): 83 X 70 X 62 IN / 2101 X 1782 X 1570 MM
- MAX USER WEIGHT (LB/KG): 440 LB /200 KG
- STEEL TUBE THICKNESS: 3MM
- FINISH: BLACK POWDER COAT
- STORAGE: 8 X STORGE WEIGHT HORNS

**SET UP SIZE:**
83 X 70 X 62 IN
(2101 X 1782 X 1570 MM)

**MAX USER WEIGHT:**
440 LB /200 KG

## MILITARY PRESS BENCH



MODEL NO. SK-B-15

- SET UP SIZE (IN/MM): 72 X 70 X 45 IN / 1840 X 1790 X 1135 MM
- MAX USER WEIGHT (LB/KG): 440 LB /200 KG
- STEEL TUBE THICKNESS: 3MM
- FINISH: BLACK POWDER COAT
- STORAGE: 4 X STORGE WEIGHT HORNS
- USAGE: SEATED BARBELL PRESSING

**SET UP SIZE:**
72 X 70 X 45 IN
(1840 X 1790 X 1135 MM)

**MAX USER WEIGHT:**
440 LB /200 KG

## MULTI AB BENCH



MODEL NO. SK-B-08

- SET UP SIZE (IN/MM): 64.09 X 31.34 X 36.57 IN / 1628 X 796 X 929 MM
- MAX USER WEIGHT (LB/KG): 440 LB /200 KG
- STEEL TUBE THICKNESS: 3MM
- FINISH: BLACK POWDER COAT
- USAGE: ABDOMINAL TRAINING

**SET UP SIZE:**
64.09 X 31.34 X 36.57 IN
(1628 X 796 X 929 MM)

**MAX USER WEIGHT:**
440 LB /200 KG

## BACK EXTENSION



MODEL NO. SK-B-09

- SET UP SIZE (IN/MM): 48.39 X 34.09 X 31.89 IN / 1229 X 866 X 810 MM
- MAX USER WEIGHT (LB/KG): 440 LB /200 KG
- STEEL TUBE THICKNESS: 3MM
- FINISH: BLACK POWDER COAT
- USAGE: LOWER BACK, GLUTE AND HAMSTRING TRAINING

**SET UP SIZE:**
48.39 X 34.09 X 31.89 IN
(1229 X 866 X 810 MM)

**MAX USER WEIGHT:**
440 LB /200 KG



SKELCORE

## SISSY SQUAT BENCH



MODEL NO. SK-B-10

- SET UP SIZE (IN/MM): 38.98 X 29.76 X 19.02 IN / 990 X 756 X 483 MM
- MAX USER WEIGHT (LB/KG): 440 LB /200 KG
- STEEL TUBE THICKNESS: 3MM
- FINISH: BLACK POWDER COAT
- USAGE: LEG TRAINING

**SET UP SIZE:**
38.98 X 29.76 X 19.02 IN
(990 X 756 X 483 MM)

**MAX USER WEIGHT:**
440 LB /200 KG

## BULGARIAN SQUAT BENCH



MODEL NO. SK-B-11

- SET UP SIZE (IN/MM): 31.69 X 21.30 X 16.54 IN / 805 X 541 X 420 MM
- MAX USER WEIGHT (LB/KG): 440 LB /200 KG
- STEEL TUBE THICKNESS: 3MM
- FINISH: BLACK POWDER COAT
- USAGE: LEG TRAINING

**SET UP SIZE:**
31.69 X 21.30 X 16.54 IN
(805 X 541 X 420 MM)

**MAX USER WEIGHT:**
440 LB /200 KG

## SUMO BENCH



MODEL NO. SK-B-12

- SET UP SIZE (IN/MM): 38.62 X 28.15 X 12.28 IN / 981 X 715 X 312 MM
- MAX USER WEIGHT (LB/KG): 440 LB /200 KG
- STEEL TUBE THICKNESS: 3MM
- FINISH: BLACK POWDER COAT
- USAGE: LEG AND GLUTE TRAINING

**SET UP SIZE:**
38.62 X 28.15 X 12.28 IN
(981 X 715 X 312 MM)

**MAX USER WEIGHT:**
440 LB /200 KG

FITNESS EQUIPMENT

SKELCORE



# RACKS AND FUCTIONAL RACKS

SKELCORE


# KEY HIGHLIGHTS




INTERGARATED PULL-UP BARS



SLEEK MODERN DESIGN



SAFETY CATCH MECHANISM



WEIGHT PLATE STORAGE TUBES
AVAILABLE WITH EACH MODEL




SKELCORE

# HALF RACK

MODEL NO. SK-RK-01

- SET UP SIZE (IN/MM): 59.92 X 58.43 X 92.60 IN / 1522 X 1484 X 2352 MM
- INCLUDES PULL UP BAR
- MAX LOAD WEIGHT - 100KG X8/220LBS X8
- STEEL THICKNESS - STAINLESS STEEL FRONT UPRIGHT: 2.5MM, ALL OTHER STRUCTURES: 3MM
- SMALL J-HOOK MAX LOAD WEIGHT - 250KG/551LBS
- LARGE J-HOOK MAX LOAD WEIGHT - 380KG/837LBS





**MUSCLE GROUP**

**SET UP SIZE:**
59.92 X 58.43 X 92.60 IN
(1522 X 1484 X 2352 MM)

# OLYMPIC SQUAT RACK

MODEL NO. SK-RK-OLY

- SET UP SIZE (IN/MM): 88 X 79 X 7 IN / 2230 X 1995 X 179 MM
- STEEL TUBE THICKNESS: 3MM
- FINISH: BLACK POWDER COAT
- STORAGE: 6 X STORGE WEIGHT HORNS
- USAGE: BARBELL EXERCISES





**MUSCLE GROUP**

**SET UP SIZE:**
88 X 79 X 7 IN
(2230 X 1995 X 179 MM )

FITNESS EQUIPMENT


SKELCORE

# SKELCORE HALF RACK + DUAL PULLEYS

MODEL NO. SK-RACK-HFRDP

- SET UP SIZE: 77.21 X 73.22 X 94.41 IN (1961 X 1860 X 2398 MM)
- WEIGHT STACKS: 2 X 225LB/100KG
- STEEL TUBE THICKNESS: 3.0MM
- MAX USER'S WEIGHT: 441LBS / 200KG
- MAX LOAD WEIGHT: 660LBS / 300KG
- PULLEY RATIO: 1:2 RATIO
- ADJUSTMENT HOLE SPACING: 50MM






**MUSCLE GROUP**

**SET UP SIZE:**
77.21 X 73.22 X 94.41 IN
(1961 X 1860 X 2398 MM)

# HALF RACK PLATFORM RUBBER INSERT

MODEL NO. SK-RK-PLATFORM

- SET UP SIZE (IN/MM):130 X 101 X 2 IN / 3305 X 2570 X 55 MM
- FINISH: BLACK POWDER COAT STEEL FRAME & ANTI-SLIP RUBBER
- THICKNESS: 80MM
- USAGE: OLYMPIC AND POWER LIFTING
- **COMPATIBLE WITH SK-RK-01**



**SET UP SIZE:**
130 X 101 X 2 IN
(3305 X 2570 X 55 MM)

FITNESS EQUIPMENT

SKELCORE

# RUBBER LIFTING PLATFORM - 30MM

MODEL NO. SK-LIFT-RB-30MM

- SET UP SIZE (IN/MM) SIZE: 51.18 X 98.43 X 1.2 IN / 1300 X 2500 X 30 MM
- THICKNESS ( IN/MM): 1. IN / 30 MM
- MATERIAL: RUBBER & STEEL
- SUITABLE FOR ALL DEADLIFTING AND OLYMPIC LIFTING



**SET UP SIZE:**
51.18 X 98.43 X 1.2 IN
(1300 X 2500 X 30 MM)










# MULTI FUNCTION SMITH MACHINE & HALF RACK

MODEL NO. SK-SMTM-010

- SET UP SIZE - 86.22 X 54.72 X 88.58IN (2190 X 1390 X 2250MM)
- MAIN FRAME TUBE SIZE: 1.98 X 3.94 X 0.08IN (50 X 100 X 2MM)
- DUAL HANDLEBAR WITH 16 LEVELS OF ADJUSTMENT
- STACK: 2 X 132.28LBS = TOTAL 264.55LBS / 2 X 90KG = TOTAL 120KG
- STEEL CABLE: 4.8Ø NYLON COATED
- MAX LOADING OF CABLE: 1322.77LBS / 600KG
- PULLEY: 90Ø POM PULLEY



**MUSCLE GROUP**

**SET UP SIZE:**
86.22 X 54.72 X 88.58IN
(2190 X 1390 X 2250MM)


**TOATL MAX LOAD WEIGHT:**
1322.77LBS / 600KG

**COMMERCIAL GRADE**

- **SMITH MACHINE**
- **DUAL STACK MULTI-FUNCTION CABLE SYSTEM**
- **HALF RACK**
- **MULTI GRIP PULL UP BAR**
- **DIP BAR**
- **SISSY SQUAT LANDMINE ATTACHMENT**

FITNESS EQUIPMENT

SKELCORE




# MULTI GYM
# FUNCTIONAL TRAINERS
# SMITH MACHINES

SKELCORE

# KEY HIGHLIGHTS



2 X 91 KG WEIGHT STACKS




MULTI-STATION CONNENCTION



NYLON PULLEYS



2 LEVEL ANGLE ADJUSTMENT






SKELCORE

# MULTI JUNGLE - 4, 8, 12, 16 + STATION

MODEL NO. SK-MLT-04

- SET UP SIZE (IN/MM): 136.06 X 91.77 X 89.53 IN / 3456 X 2331 X 2274 MM
- MAX USER WEIGHT: 331 LB / 150 KG
- WEIGHT STACK: 91 KG x 2 SETS / 132 KG x 2 SETS
- STEEL THICKNESS (IN/MM): MAIN STRUCTURE: 0.12IN / 3.0 MM.
- ADJUSTABLE TUBE (SOLID STEEL): 0.10IN / 2.5 MM. SUPPORT TUBES: 0.10IN / 2.5 MM
- NYLON PULLEYS
- LAT PULLDOWN RATIO: 1:1
- ROW RATIO: 1:1
- 2 X HI - LO PULLEY RATIO: 2:1





**MUSCLE GROUP**

**SET UP SIZE:**
136.06 X 91.77 X 89.53 IN
(3456 X 2331 X 2274 MM)

**MAX USER WEIGHT:**
330LBS / 150KG


*The 4 station is a modular system that can be extended into an 8, 12 or 16 station by connecting two or more of the 4 stations together with a connector bar at the top of each machine.*

# 4, 8, 12, 16 + MUTLI-GYM CONNECTOR BAR

MODEL NO. SK-MLT-CB

- SET UP SIZE (IN/MM): 75.00 X 35.98 X 25.00 IN/ 1905 X 914 X 635 MM
- USAGE: CONNECTOR BAR USED TO JOIN TWO OR MORE MULTI-STATION UNITS
- MATERIALS: 3MM THICK STEEL TUBING





**MUSCLE GROUP**

**SET UP SIZE:**
75.00 X 35.98 X 25.00 IN
(1905 X 914 X 635 MM)




SKELCORE

# CABLE CROSSOVER

MODEL NO. SK-CC-01

- SET UP SIZE (IN/MM): 155.91 X 93.70 X 32.48 IN / 3960 X 2380 X 825 MM
- MAX USER WEIGHT: 331 LB / 150 KG
- WEIGHT STACK: 200 LB / 91 KG x 2 SETS
- STEEL THICKNESS (IN/MM): MAIN STRUCTURE: 0.12IN / 3MM ADJUSTABLE TUBE (SOLID STEEL): 0.10IN / 2.5 MM. SUPPORT TUBES: 0.10IN / 2.5 MM
- ALLOY PULLEYS: NO — NYLON PULLEYS
- 2 X HI - LO PULLEY RATIO: 2:1





**MUSCLE GROUP**


**SET UP SIZE:**
155.91 X 93.70 X 32.48 IN
(3960 X 2380 X 825 MM)


**MAX USER WEIGHT:**
330LBS / 150KG

# FUNCTIONAL TRAINER

MODEL NO. SK-FT-01

- SET UP SIZE (IN/MM): 81.50 X 48.03 X 90.55 IN / 2070 X 1220 X 2300 MM
- MAX USER WEIGHT: 331 LB / 150 KG
- WEIGHT STACK: 291 LBS / 132 KG x 2 SETS
- STEEL THICKNESS (IN/MM): MAIN STRUCTURE: 0.12IN / 3MM ADJUSTABLE TUBE (SOLID STEEL): 0.10IN / 2.5 MM. SUPPORT TUBES: 0.10IN / 2.5 MM
- ALLOY PULLEYS: NO — NYLON PULLEYS
- 2 X HI - LO PULLEY RATIO: 2:1





**MUSCLE GROUP**

**SET UP SIZE:**
81.50 X 48.03 X 90.55 IN
(2070 X 1220 X 2300 MM)

**MAX LOAD WEIGHT:**
331 LB / 150 KG



SKELCORE


# DUAL ANGLE SMITH

MODEL NO. SK-SM-01

- SET UP SIZE (IN/MM): 59.92 X 58.43 X 92.60 IN / 1522 X 1484 X 2352 MM
- MAX LOAD WEIGHT: 250 KG / 551 LB
- STEEL THICKNESS (IN/MM): ALL STRUCTURES: 0.12IN / 3.0 MM
- BEARING TYPE: WON (KOREAN BRAND)
- ANGLE ADJUSTMENT LEVELS: 2 POSITIONS TOTAL — 7° INCLINE AND VERTICAL (0°)BEARINGS: WON (KOREAN) BEARINGS







**MUSCLE GROUP**

**SET UP SIZE:**
59.92 X 58.43 X 92.60 IN
(1522 X 1484 X 2352 MM)

**MAX USER WEIGHT:**
330LBS / 150KG




# PRO SERIES
# PLATE LOADED

SKELCORE

# KEY HIGHLIGHTS



ALUMINIUM BEARINGS



OVAL TUBING



HYDRAULIC ASSISTED
ADJUSTABLE SEAT



BODY CONTOURING SEAT
AND HEAD REST





SKELCORE



## PRO CHEST PRESS

MODEL NO. SK-PROPLA-058

- SET UP SIZE: 78.74 X 67.32 X 79.13 IN (2000 X 1710 X 2010 MM)
- BODY CONTOURING SEAT & HEADREST
- STEEL WEIGHT HORN END CAPS
- HYDRAULIC ASSISTED ADJUSTABLE SEAT
- MAX USER'S WEIGHT: 441 LBS / 200 KG
- LOAD WEIGHT: 441 LBS / 200 KG
- MAX LOAD WEIGHT: 882 LBS / 400 KG



**MUSCLE GROUP**

**OVAL TUBE**

**SET UP SIZE:**
78.74 X 67.32 X 79.13 IN
(2000 X 1710 X 2010 MM)


**MAX USER WEIGHT:**
441 LBS / 200 KG



## PRO INCLINE CHEST PRESS

MODEL NO. SK-PROPLA-060

- SET UP SIZE: 75.59 X 51.18 X 74.02 IN (1920 X 1300 X 1880 MM)
- BODY CONTOURING SEAT & HEADREST
- STEEL WEIGHT HORN END CAPS
- HYDRAULIC ASSISTED ADJUSTABLE SEAT
- MAX USER'S WEIGHT: 441 LBS / 200 KG
- LOAD WEIGHT: 441 LBS / 200 KG
- MAX LOAD WEIGHT: 882 LBS / 400 KG



**MUSCLE GROUP**

**OVAL TUBE**

**SET UP SIZE:**
75.59 X 51.18 X 74.02 IN
(1920 X 1300 X 1880 MM)


**MAX USER WEIGHT:**
441 LBS / 200 KG



## PRO WIDE CHEST PRESS

MODEL NO. SK-PROPLA-063

- SET UP SIZE: 46.26 X 82.28 X 67.72 IN (1175 X 2090 X 1720 MM)
- BODY CONTOURING SEAT & HEADREST
- STEEL WEIGHT HORN END CAPS
- HYDRAULIC ASSISTED ADJUSTABLE SEAT
- PADDING MATERIAL: HIGH QUALITY PADDING
- MAX USER'S WEIGHT: 441 LBS / 200 KG
- LOAD WEIGHT: 441 LBS / 200 KG
- MAX LOAD WEIGHT: 882 LBS / 400 KG



**MUSCLE GROUP**

**OVAL TUBE**

**SET UP SIZE:**
46.26 X 82.28 X 67.72 IN
(1175 X 2090 X 1720 MM)


**MAX USER WEIGHT:**
441 LB / 200 KG



## PRO SUPER INCLINE CHEST PRESS

MODEL NO. SK-PROPLA-068

- SET UP SIZE: 50.39 X 66.93 X 62 IN (1280 X 1700 X 1575 MM)
- BODY CONTOURING SEAT & HEADREST
- STEEL WEIGHT HORN END CAPS
- HYDRAULIC ASSISTED ADJUSTABLE SEAT
- MAX USER'S WEIGHT: 441 LBS / 200 KG
- LOAD WEIGHT: 441 LBS / 200 KG
- MAX LOAD WEIGHT: 882 LBS / 400 KG



**MUSCLE GROUP**

**OVAL TUBE**

**SET UP SIZE:**
50.39 X 66.93 X 62 IN
(1280 X 1700 X 1575 MM)

**MAX USER WEIGHT:**
441 LBS / 200 KG

FITNESS EQUIPMENT


SKELCORE



## PRO
## CHEST DECLINE PRESS

MODEL NO. SK-PROPLA-075

- SET UP SIZE: 48.43 X 74.02 X 70.87 IN (1230 X 1880 X 1800 MM)
- BODY CONTOURING SEAT & HEADREST
- STEEL WEIGHT HORN END CAPS
- HYDRAULIC ASSISTED ADJUSTABLE SEAT
- MAX USER'S WEIGHT: 441 LBS / 200 KG
- LOAD WEIGHT: 441 LBS / 200 KG
- MAX LOAD WEIGHT: 882 LBS / 400 KG



**MUSCLE GROUP**

**OVAL TUBE**

**SET UP SIZE:**
48.43 X 74.02 X 70.87 IN
(1230 X 1880 X 1800 MM)


**MAX USER WEIGHT:**
441 LB / 200 KG



## PRO
## CHEST PRESS & LAT PULL DOWN

MODEL NO. SK-PROPLA-061

- SET UP SIZE: 84.65 X 66.54 X 79.92 IN (2150 X 1690 X 2030 MM)
- BODY CONTOURING SEAT & HEADREST
- STEEL WEIGHT HORN END CAPS
- HYDRAULIC ASSISTED ADJUSTABLE SEAT
- MAX USER'S WEIGHT: 441 LBS / 200 KG
- LOAD WEIGHT: 441 LBS / 200 KG
- MAX LOAD WEIGHT: 882 LBS / 400 KG



**MUSCLE GROUP**

**OVAL TUBE**

**SET UP SIZE:**
59.84 X 26.77 X 40.16 IN
(1520 X 680 X 1020 MM)


**MAX USER WEIGHT:**
441 LBS / 200 KG



## PRO LYING SHOULDER PRESS

MODEL NO. SK-PROPLA-071

- SET UP SIZE: 73.23 X 57.48 X 75.59 IN (1860 X 1460 X 1920 MM)
- BODY CONTOURING SEAT & HEADREST
- STEEL WEIGHT HORN END CAPS
- HYDRAULIC ASSISTED ADJUSTABLE SEAT
- MAX USER'S WEIGHT: 441 LBS / 200 KG
- LOAD WEIGHT: 441 LBS / 200 KG
- MAX LOAD WEIGHT: 882 LBS / 400 KG



**MUSCLE GROUP**

**OVAL TUBE**

**SET UP SIZE:**
73.23 X 57.48 X 75.59 IN
(1860 X 1460 X 1920 MM)


**MAX USER WEIGHT:**
441 LBS / 200 KG



## PRO SHOULDER PRESS

MODEL NO. SK-PROPLA-073

- SET UP SIZE: 56.69 X 74.61 X 61.42 IN (1440 X 1895 X 1560 MM)
- BODY CONTOURING SEAT & HEADREST
- STEEL WEIGHT HORN END CAPS
- HYDRAULIC ASSISTED ADJUSTABLE SEAT
- MAX USER'S WEIGHT: 441 LBS / 200 KG
- LOAD WEIGHT: 441 LBS / 200 KG
- MAX LOAD WEIGHT: 882 LBS / 400 KG



**MUSCLE GROUP**

**OVAL TUBE**

**SET UP SIZE:**
56.69 X 74.61 X 61.42 IN
(1440 X 1895 X 1560 MM)

**MAX USER WEIGHT:**
441 LBS / 200 KG




SKELCORE



## PRO LAT PULL DOWN

MODEL NO. SK-PROPLA-059

- SET UP SIZE: 63 X 63 X 79.92 IN (1600 X 1600 X 2030 MM)
- BODY CONTOURING SEAT
- STEEL WEIGHT HORN END CAPS
- HYDRAULIC ASSISTED ADJUSTABLE SEAT
- MAX USER'S WEIGHT: 441 LBS / 200 KG
- LOAD WEIGHT: 441 LBS / 200 KG
- MAX LOAD WEIGHT: 882 LBS / 400 KG



**MUSCLE GROUP**

**OVAL TUBE**

**SET UP SIZE:**
63 X 63 X 79.92 IN
(1600 X 1600 X 2030 MM)


**MAX USER WEIGHT:**
441 LBS / 200 KG



## PRO FRONT FACING LAT PULL DOWN

MODEL NO. SK-PROPLA-069

- SET UP SIZE: 75.98 X 59.84 X 79.53 IN
  (1930 X 1520 X 2020 MM)
- BODY CONTOURING SEAT & LEG PADDING
- STEEL WEIGHT HORN END CAPS
- HYDRAULIC ASSISTED ADJUSTABLE SEAT
- MAX USER'S WEIGHT: 441 LBS / 200 KG
- LOAD WEIGHT: 441 LBS / 200 KG
- MAX LOAD WEIGHT: 882 LBS / 400 KG



**MUSCLE GROUP**

**OVAL TUBE**

**SET UP SIZE:**
75.98 X 59.84 X 79.53 IN
(1930 X 1520 X 2020 MM)


**MAX USER WEIGHT:**
441 LBS / 200 KG



## PRO LAT PULL DOWN

MODEL NO. SK-PROPLA-076

- SET UP SIZE - 69.06 X 49.02 X 78.74IN (1754 X 1245 X 2000 MM)
- PADDING MATERIAL: HIGH QUALITY PADDING
- MAX USER'S WEIGHT: 441LBS / 200KG
- LOAD WEIGHT: 441LBS / 200KG
- MAX LOAD WEIGHT: 882LBS / 400KG



**MUSCLE GROUP**

**OVAL TUBE**

**SET UP SIZE:**
69.06 X 49.02 X 78.74 IN
(1754 X 1245 X 2000 MM)


**MAX USER WEIGHT:**
441 LBS / 200 KG



## PRO LOW ROW

MODEL NO. SK-PROPLA-074

- SET UP SIZE: 48.43 X 66.54 X 66.54 IN
  (1230 X 1690 X 1690 MM)
- BODY CONTOURING SEAT
- STEEL WEIGHT HORN END CAPS
- HYDRAULIC ASSISTED ADJUSTABLE SEAT
- MAX USER'S WEIGHT: 441 LBS / 200 KG
- LOAD WEIGHT: 441 LBS / 200 KG
- MAX LOAD WEIGHT: 882 LBS / 400 KG



**MUSCLE GROUP**

**OVAL TUBE**

**SET UP SIZE:**
48.43 X 66.54 X 66.54 IN
(1230 X 1690 X 1690 MM)

**MAX USER WEIGHT:**
441 LBS / 200 KG

FITNESS EQUIPMENT


SKELCORE



## PRO SEATED MID-BACK ROW

MODEL NO. SK-PROPLA-066

- SET UP SIZE: 61.02 X 52.76 X 48.15 IN (1550 X 1340 X 1223 MM)
- BODY CONTOURING SEAT
- STEEL WEIGHT HORN END CAPS
- HYDRAULIC ASSISTED ADJUSTABLE SEAT
- MAX USER'S WEIGHT: 441 LBS / 200 KG
- LOAD WEIGHT: 441 LBS / 200 KG
- MAX LOAD WEIGHT: 882 LBS / 400 KG



**MUSCLE GROUP**

**OVAL TUBE**

**SET UP SIZE:**
61.02 X 52.76 X 48.15 IN
(1550 X 1340 X 1223 MM)


**MAX USER WEIGHT:**
441 LBS / 200 KG



## PRO ROW

MODEL NO. SK-PROPLA-062

- SET UP SIZE: 59.06 X 56.69 X 53.94 IN (1500 X 1440 X 1370 MM)
- BODY CONTOURING SEAT
- STEEL WEIGHT HORN END CAPS
- HYDRAULIC ASSISTED ADJUSTABLE SEAT
- MAX USER'S WEIGHT: 441 LBS / 200 KG
- LOAD WEIGHT: 441 LBS / 200 KG
- MAX LOAD WEIGHT: 882 LBS / 400 KG



**MUSCLE GROUP**

**OVAL TUBE**

**SET UP SIZE:**
59.06 X 56.69 X 53.94 IN
(1500 X 1440 X 1370 MM)


**MAX USER WEIGHT:**
441 LBS / 200 KG



## PRO SEATED CALF

MODEL NO. SK-PROPLA-038

- SET UP SIZE: 29.53 X 49.61 X 33.46 IN (750 X 1260 X 850 MM)
- HIGH QUALITY PADDING
- STEEL WEIGHT HORN END CAPS
- MAX USER'S WEIGHT: 441 LBS / 200 KG
- LOAD WEIGHT: 441 LBS / 200 KG
- MAX LOAD WEIGHT: 882 LBS / 400 KG



**MUSCLE GROUP**

**OVAL TUBE**

**SET UP SIZE:**
29.53 X 49.61 X 33.46IN
(750 X 1260 X 850MM)


**MAX USER WEIGHT:**
441LB/200KG



## PRO HORIZONTAL LEG CURL

MODEL NO. SK-PROPLA-070

- SET UP SIZE - 63.78 X 53.15 X 40.16IN (1620 X 1350 X 1020MM)
- PADDING MATERIAL: HIGH QUALITY PADDING
- MAX USER'S WEIGHT: 441LBS / 200KG
- LOAD WEIGHT: 441LBS / 200KG
- MAX LOAD WEIGHT: 882LBS / 400KG



**MUSCLE GROUP**

**SET UP SIZE:**
63.78 X 53.15 X 40.16IN
(1620 X 1350 X 1020MM)

**MAX USER WEIGHT:**
441LBS / 200KG

FITNESS EQUIPMENT


SKELCORE

# PRO SEATED LEG EXTENSION



MODEL NO. SK-PROPLA-079

- SET UP SIZE - 55.12 X 72.24 X 39.37IN (1400 X 1835 X 1000MM)
- PADDING MATERIAL: HIGH QUALITY PADDING
- MAX USER'S WEIGHT: 441LBS / 200KG
- LOAD WEIGHT: 441LBS / 200KG
- MAX LOAD WEIGHT: 882LBS / 400KG



**MUSCLE GROUP**

**SET UP SIZE:**
55.12 X 72.24 X 39.37IN
(1400 X 1835 X 1000MM)


**MAX USER WEIGHT:**
441LBS / 200KG

# PRO KNEELING LEG CURL



MODEL NO. SK-PROPLA-082

- SET UP SIZE - 66.34 X 55.71 X 45.28IN (1685 X 1415 X 1150MM)
- PADDING MATERIAL: HIGH QUALITY PADDING
- LOAD WEIGHT: 441LBS / 200KG
- MAX LOAD WEIGHT: 882LBS / 400KG



**MUSCLE GROUP**

**SET UP SIZE:**
66.34 X 55.71 X 45.28IN
(1685 X 1415 X 1150MM)

**MAX USER WEIGHT:**
441LBS / 200KG

# PRO SEATED DIP



MODEL NO. SK-PROPLA-083

- SET UP SIZE: 69.02 X 62.01 X 4.17 IN
  (1753 X 1575 X 106 MM)
- BODY CONTOURING SEAT
- STEEL WEIGHT HORN END CAPS
- HYDRAULIC ASSISTED ADJUSTABLE SEAT
- MAX USER'S WEIGHT: 441 LBS / 200 KG
- LOAD WEIGHT: 441 LBS / 200 KG
- MAX LOAD WEIGHT: 882 LBS / 400 KG



**MUSCLE GROUP**

**OVAL TUBE**

**SET UP SIZE:**
69.02 X 62.01 X 4.17 IN
(1753 X 1575 X 106 MM)


**MAX USER WEIGHT:**
441 LBS / 200 KG

# PRO SEATED PREACHER CURL



MODEL NO. SK-PROPLA-078

- SET UP SIZE - 53.94 X 59.06 X 59.84 IN (1370 X 1500 X 1520 MM)
- PADDING MATERIAL: HIGH QUALITY PADDING
- MAX USER'S WEIGHT: 441LBS / 200KG
- LOAD WEIGHT: 441LBS / 200KG
- MAX LOAD WEIGHT: 882LBS / 400KG



**MUSCLE GROUP**

**OVAL TUBE**

**SET UP SIZE:**
53.94 X 59.06 X 59.84 IN
(1370 X 1500 X 1520 MM)

**MAX USER WEIGHT:**
441 LBS / 200 KG

FITNESS EQUIPMENT


SKELCORE

# PRO SEATED ABDOMINAL CRUNCH



MODEL NO. SK-PROPLA-085

- SET UP SIZE: 46.46 X 53.54 X 59.84 IN (1180 X 1360 X 1520 MM)
- HIGH QUALITY PADDING WITH BACK & SHIN SUPPORT
- STEEL WEIGHT HORN END CAPS
- MAX USER'S WEIGHT: 441 LBS / 200 KG
- LOAD WEIGHT: 441 LBS / 200 KG
- MAX LOAD WEIGHT: 882 LBS / 400 KG



**MUSCLE GROUP**

**OVAL TUBE**

**SET UP SIZE:**
46.46 X 53.54 X 59.84 IN
(1180 X 1360 X 1520 MM)

**MAX USER WEIGHT:**
441 LBS / 200 KG



FITNESS EQUIPMENT

SKELCORE




# POWER SERIES
# PLATE LOADED

SKELCORE

# KEY HIGHLIGHTS



HIGH QUALITY PADDING



STAINLESS STEEL KNURLED HANDLES



ALUMINIUM BUSHING



SPECIALIZED DESIGNS




SKELCORE

## POWER
## CHEST PRESS



MODEL NO. SK-PWRPLATE-001

- **SMALL FOOT PRINT:** 1855 x 1155 x 1215 mm / 73 x 45.5 x 47.8 in
- PADDING MATERIAL: HIGH QUALITY PADDING.
- STAINLESS STEEL KNURLED HANDLES
- ALUMINIUM BUSHING FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
73 x 45.5 x 47.8 in
(1855 x 1155 x 1215 mm)


**MAX USER WEIGHT:**
330 LB / 150 KG

## POWER
## SHOULDER PRESS



MODEL NO. SK-PWRPLATE-002

- **SMALL FOOT PRINT:** 2025 x 1200 x 1145 mm / 80 x 47 X 45 in
- PADDING MATERIAL: HIGH QUALITY PADDING.
- STEEL TUBE DIMENSION: 2 x 2 x 0.12 in (50 x 50 x 3 mm).
- TOTAL LOAD WEIGHT: 660 LB / 300 KG.
- STAINLESS STEEL KNURLED HANDLES
- ALUMINIUM BUSHING FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
80 x 47 X 45 in
(2025 x 1200 x 1145 mm)


**MAX USER WEIGHT:**
330 LB / 150 KG

## POWER
## INCLINE CHEST PRESS



MODEL NO. SK-PWRPLATE-003

- **SMALL FOOT PRINT:** 1890 x 1085 x 1000 mm / 74.4 x 42.7 x 39.4 in
- PADDING MATERIAL: HIGH QUALITY PADDING.
- TOTAL LOAD WEIGHT: 660 LB / 300 KG.
- STAINLESS STEEL KNURLED HANDLES
- ALUMINIUM BUSHING FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
74.4 x 42.7 x 39.4 in
(1890 x 1085 x 1000 mm)


**MAX USER WEIGHT:**
330 LB / 150 KG

## POWER
## SEATED ROW



MODEL NO. SK-PWRPLATE-004

- **SMALL FOOT PRINT:** 1720 x 1070 x 1165 mm / 67.7 x 42 x 46 in
- PADDING MATERIAL: HIGH QUALITY PADDING.
- TOTAL LOAD WEIGHT: 660 LB / 300 KG.
- STAINLESS STEEL KNURLED HANDLES
- ALUMINIUM BUSHING FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
67.7 x 42 x 46 in
(1720 x 1070 x 1165 mm)

**MAX USER WEIGHT:**
330 LB / 150 KG

FITNESS EQUIPMENT


SKELCORE



# POWER
# LAT PULL DOWN

MODEL NO. SK-PWRPLATE-005

- **SMALL FOOTPRINT:** 75.2 x 48 x 82.7 in (1910 x 1220 x 2100 mm)
- PADDING MATERIAL: HIGH QUALITY PADDING.
- TOTAL LOAD WEIGHT: 660 LB / 300 KG.
- STAINLESS STEEL KNURLED HANDLES
- ALUMINIUM BUSHING FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
75.2 x 48 x 82.7 in
(1910 x1220 x 2100 mm)

**MAX USER WEIGHT:**
330 LB / 150 KG

**POWER SERIES**
**PLATE LOADED**

FITNESS EQUIPMENT

SKELCORE




# PRO PLUS SERIES
# PLATE LOADED

SKELCORE

# KEY HIGHLIGHTS



THICKER PADDING



UNIQUE FEATURES



SPECIALIZED DESIGNS



STEEL WEIGHT
HORNED END CAPS






## PRO PLATE V2 4-IN-1 MULTI PRESS

MODEL NO. SK-PROPLA-V2-007

- SET UP SIZE: SET UP SIZE (IN/MM): 94.88 X 78.74 X 82.68 IN / 2410 X 2000 X 2100 MM
- PADDING MATERIAL: HIGH QUALITY PADDING
- MAX USER'S WEIGHT: 441 LBS / 200 KG
- MAX LOAD WEIGHT: 441 LBS / 200 KG



**MUSCLE GROUP**

**OVAL TUBE**

**SET UP SIZE:**
94.88 X 78.74 X 82.68 IN
(2410 X 2000 X 2100 MM)


**MAX USER WEIGHT:**
441 LB / 200 KG



## ADJUSTABLE INCLINE PEC FLY

MODEL NO. SK-PLT-01

- SET UP SIZE (IN/MM): 62 X 77 X 42 IN / 1563 X 1965 X 1060 MM
- MAX USER WEIGHT (LB/KG): 440 LB /200 KG
- RESISTANCE TYPE: PLATE LOADED
- MUSCLE GROUP TARGETED: CHEST/PECTORALS
- MULTIPLE SEAT ADJUSTMENT ANGLES



**MUSCLE GROUP**

**SET UP SIZE:**
62 X 77 X 42 IN
(1563 X 1965 X 1060 MM)


**MAX USER WEIGHT:**
440 LB /200 KG



## PRO PLUS LINEAR BACK ROW

MODEL NO. SK-PROPLA-094

- SET-UP-SIZE: 1610 X 1935 X 1350 MM
- HIGH QUALITY PADDING
- PADDING MATERIAL: 60 MM
- SMOOTH LINEAR RAIL SYSTEM
- MAX LOAD WEIGHT: 330 LBS/150 KG



**MUSCLE GROUP**


**SET UP SIZE:**
63 X 76 X 53.1 IN
(1610 X 1935 X 1350 MM)



## PRO SERIES PULL OVER V2

MODEL NO. SK-PROPLA-220

- SET UP SIZE: 48.03 X 45.67 X 59.05 IN (1220 X 1160 X 1500 MM)
- PADDING MATERIAL: HIGH QUALITY PADDING
- MAX USER'S WEIGHT: 441LBS / 200 KG
- LOAD WEIGHT: 441 LBS / 200 KG
- MAX LOAD WEIGHT: 882 LBS / 400 KG



**MUSCLE GROUP**

**SET UP SIZE:**
48.03 X 45.67 X 59.05 IN
(1220 X 1160 X 1500 MM)

**MAX USER WEIGHT:**
441LB / 200 KG

FITNESS EQUIPMENT


SKELCORE



## PRO PLUS LINEAR SHOULDER PRESS

MODEL NO. SK-PROPLA-095

- SET UP SIZE - 55.5 X 83 X 75 IN (1410 X 2110 X 1910 MM)
- PADDING MATERIAL: HIGH QUALITY PADDING
- PADDING MATERIAL: 2.4 IN/60 MM
- MAX LOAD WEIGHT: 330 LBS/150 KG
- ADJUSTABLE BACK REST
- MULTIGRIP HANDLE
- GUIDE RAILS TO ENSURE SMOOTH & CORRECT MOVEMNT DURING WORKOUTS
- WEIGHTS NOT INCLUDED



**MUSCLE GROUP**


**SET UP SIZE:**
55.5 X 83 X 75 IN
(1410 X 2110 X 1910 MM)



## PRO STANDING LATERAL RAISE PIN LOADED

MODEL NO. SK-PSPL-031

- SET UP SIZE: 59.06 X 36.61 X 78.74 IN (1500 X 930 X 2000 MM)
- WEIGHT STACK:
- 1 X 220LBS / 100KG
- MAX USER WEIGHT: 440LBS / 200KG
- LOAD WEIGHT: 440LBS / 200KG
- MAX LOAD WEIGHT: 880LBS / 400KG



**MUSCLE GROUP**

**SET UP SIZE:**
59.06 X 36.61 X 78.74 IN
(1500 X 930 X 2000 MM)


**MAX USER WEIGHT:**
440 LBS / 200 KG



## PRO PLUS FRONT FACING LAT PULL DOWN 2.0

MODEL NO. SK-PROPLA-201

- SET UP SIZE : 78.57 X 96.68 X 52.09 IN / 1995.78 X 2455.70 X 1323 MM
- MAX USER WEIGHT: 330 LBS / 150 KG
- STEEL THICKNESS: 3MM
- UNIQUE DESIGN
- KNURLED STAINLESS STEEL HANDLES
- SPECIALIZED PIECE OF EQUIPMENT FOR A VARIETY OF BACK TRAINING EXERCISES.
- ADJSUTABLE HANDLES AND MULTIPLE ADJUSTEMNTS FOR YOUR SEATING POSITION.
- MULTIPLE WEIGHT LOADING WEIGHT PEGS TO ADJUST THE STRENGTH CURVE OF THIS MACHINE.



**MUSCLE GROUP**

**SET UP SIZE:**
78.57 X 96.68 X 52.09 IN
(1995.78 X 2455.70 X 1323 MM)

**MAX USER WEIGHT:**
330 LBS / 150 KG



## PRO PLUS LINEAR CHEST SUPPORTED ROW

MODEL NO. SK-PROPLA-227

- SET UP SIZE: 71.65 X 39.76 X 59.45 IN / 1820 X 1010 X 1510 MM
- MAX LOAD WEIGHT: 264LBS/120KG
- PADDING MATERIAL: PVC AND RECYCLED COTTON



**MUSCLE GROUP**

**SET UP SIZE:**
71.65 X 39.76 X 59.45 IN
(1820 X 1010 X 1510 MM)

**MAX USER WEIGHT:**
330 LB / 150KG

FITNESS EQUIPMENT


SKELCORE



## PLATE LOADED BELT SQUAT

MODEL NO. SK-BELTSQUAT-01

- SET UP SIZE (IN/MM): 71.7 X 35.7 X 55IN / 1822 X 906 X 1396 MM
- MAX USER WEIGHT (LB/KG): 220 LB /100 KG
- RESISTANCE TYPE: PLATE LOADED
- MUSCLE GROUP TARGETED: LOWER BODY



**MUSCLE GROUP**

**SET UP SIZE:**
71.7 X 35.7 X 55IN
(1822 X 906 X 1396 MM)


**MAX USER WEIGHT:**
220 LB /100 KG



## PLATE LOADED STANDING HIP THRUST

MODEL NO. SK-STANDHIP-01

- SET UP SIZE (IN/MM): 51.85 X 50.63 X 56.93 IN / 1317 X 1286 X 1446MM
- MAX USER WEIGHT (LB/KG): 4400 LB /200 KG
- RESISTANCE TYPE: PLATE LOADED
- MUSCLE GROUP TARGETED: HIP & GLUTES



**MUSCLE GROUP**

**SET UP SIZE:**
51.85 X 50.63 X 56.93 IN
(1317 X 1286 X 1446MM)


**MAX USER WEIGHT:**
4400 LB /200 KG



## STANDING ADDUCTOR WITH LINEAR ADJUSTMENT

MODEL NO. SK-STANDADD-01

- SET UP SIZE (IN/MM): 70 X 33.9 X 58IN / 1779 X 860 X 1474 MM
- MAX USER WEIGHT (LB/KG): 440 LB /200 KG
- RESISTANCE TYPE: PLATE LOADED
- MUSCLE GROUP TARGETED: ADDUCTOR



**MUSCLE GROUP**

**SET UP SIZE:**
70 X 33.9 X 58IN
(1779 X 860 X 1474 MM)


**MAX USER WEIGHT:**
440 LB /200 KG



## PRO PLUS 2.0 PLATE LOADED HIP / GLUTE DRIVE

MODEL NO. SK-PROPLUS-03

- SET UP SIZE: 73.6 X 40.2 X 36.2 IN / 1870 X 1020 X 920 MM
- MAX USER WEIGHT 150KG / 330LB
- MAX LOAD WEIGHT 200KG / 440LB
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM



**MUSCLE GROUP**

**SET UP SIZE:**
73.6 X 40.2 X 36.2 IN
(1870 X 1020 X 920 MM)

**MAX USER WEIGHT:**
330 LB / 150 KG

FITNESS EQUIPMENT


SKELCORE



## PRO PLUS 2.0 PLATE LOADED ABDUCTOR/ADDUCTOR

MODEL NO. SK-PROPLUS-04

- SET UP SIZE: 59.1 X 40.9 X 43.3 IN / 1500 X 1040 X 1100 MM
- MAX USER WEIGHT 150KG / 330LB
- MAX LOAD WEIGHT 200KG / 440LB
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM



**MUSCLE GROUP**

**SET UP SIZE:**
59.1 X 40.9 X 43.3 IN
(1500 X 104 X 1100 MM)


**MAX USER WEIGHT:**
330 LB / 150 KG



## PRO PLUS LEVERAGE SQUAT

MODEL NO. SK-PROPLA-032

- SET UP SIZE: 55.9 X 63.39 X 65.55 IN (1420 X 1610 X 1665 MM )
- HEAVY-DUTY DUAL-USE USE MACHINE, WITH THE OPTIO OF BOTH LEVERAGE SQUATS AND CALF RAISES
- FULL RANGE OF DEPTH FOR BOTH HACK & POWER SQUAT
- SAFELY ISOLATE MULTIPLE MUSCLE GROUPS
- MAX USER WEIGHT: 200 KG / 440 LBS
- MAX LOAD WEIGHT: 500KG / 1100 LBS
- TOTAL MAX LOAD WEIGHT: 700 KG / 1540 LBS



**MUSCLE GROUP**

**SET UP SIZE:**
55.9 X 63.39 X 65.55 IN
(1420 X 1610 X 1665 MM)


**MAX LOAD WEIGHT:**
440 LBS / 200 KG



## PRO PLUS PENDULUM SQUAT MACHINE

MODEL NO. SK-PROPLA-034

- SET UP SIZE: 78.7 X 39.3 X 29.9 IN (2000 X 1000 X 760 MM)
- MAX LOAD WEIGHT: 440 LBS / 200 KG
- PADDING THICKNESS - 2.16IN/55MM
- PADDING MATERIAL: PVC AND RECYCLED COTTON
- 5 LEVEL ADJUSTMENT POSITIONS FOR SAFTEY STOP TUBE
- STEEL FOOT PLATE FOR EXTRA GRIP



**MUSCLE GROUP**

**SET UP SIZE:**
78.7 X 39.3 X 29.9 IN
(2000 X 1000 X 760 MM)

**MAX LOAD WEIGHT:**
440 LBS / 200 KG



## PRO PLUS SUPER SQUAT

MODEL NO. SK-PROPLA-037-B

- SET UP SIZE (IN/MM): 90.95 X 42.13 X 80.32 IN / 2310 X 1070 X 2040 MM
- MAX USER WEIGHT (LB/KG): 330 LB / 150 KG
- MAX LOAD WEIGHT (LB/KG): 330 LB / 150 KG



**MUSCLE GROUP**

**SET UP SIZE:**
90.95 X 42.13 X 80.32 IN
(2310 X 1070 X 2040 MM)

**MAX USER WEIGHT:**
330 LB /150 KG

FITNESS EQUIPMENT


SKELCORE

## PRO SERIES 45 DEGREE LEG PRESS V2



MODEL NO. SK-PROPLA-026

- SET UP SIZE: 81.88 X 64.76 X 52.76 IN (2080 X 1645 X 1340 MM)
- PADDING MATERIAL: HIGH QUALITY PADDING
- MAX USER'S WEIGHT: 441 LBS / 200 KG
- LOAD WEIGHT: 661 LBS / 300 KG
- MAX LOAD WEIGHT: 882 LBS / 400 KG



**MUSCLE GROUP**

**SET UP SIZE:**
81.88 X 64.76 X 52.76 IN
(2080 X 1645 X 1340 MM)


**MAX USER WEIGHT:**
441 LB / 200 KG

## PRO SERIES V2 HIP PRESS



MODEL NO. SK-PROPLA-V2-009

- SET UP SIZE: 72.25 X 65.35 X 60.24 IN (1835 X 1660 X 1530 MM)
- PADDING MATERIAL: HIGH QUALITY PADDING WITH PU UPHOLSTERY
- MAX USER'S WEIGHT: 441 LBS / 200 KG
- MAX LOAD WEIGHT: 882 LBS / 400 KG



**MUSCLE GROUP**

**SET UP SIZE:**
72.25 X 65.35 X 60.24 IN
(1835 X 1660 X 1530 MM)


**MAX USER WEIGHT:**
441 LB / 200 KG

## PRO SERIES V2 POWER SQUAT



MODEL NO. SK-PROPLA-V2-010

- SET UP SIZE: 66.93 X 43.31 X 24.41 IN (1700 X 1100 X 620 MM)
- PADDING MATERIAL: HIGH QUALITY PADDING WITH PU UPHOLSTERY
- MAX USER'S WEIGHT: 441 LBS / 200 KG
- MAX LOAD WEIGHT: 771 LBS / 350 KG



**MUSCLE GROUP**

**SET UP SIZE:**
66.93 X 43.31 X 24.41 IN
(1700 X 1100 X 620 MM)


**MAX USER WEIGHT:**
441 LB / 200 KG

## PRO HACK SLIDE



MODEL NO. SK-PROPLA-029

- SET UP SIZE 96 X 64.6 X 60 IN (2440 X 1640 X 1520 MM)
- PADDING MATERIAL: HIGH QUALITY PADDING WITH LEATHER OUTING
- MAX USER WEIGHT: 440 LBS / 200 KG
- MAX LOAD WEIGHT: 440 LBS / 200 KG
- TOTAL MAX LOAD WEIGHT: 880 LBS / 400 KG



**MUSCLE GROUP**

**SET UP SIZE:**
96 X 64.6 X 60 IN
(2440 X 1640 X 1520 MM)

**MAX LOAD WEIGHT:**
440 LB / 200 KG

FITNESS EQUIPMENT

SKELCORE

# SEATED CALF RAISE



MODEL NO. SK-PLT-02

- SET UP SIZE (IN/MM): 56 X 29 X 37 IN / 1412 X 730 X 931 MM
- MAX USER WEIGHT (LB/KG): 440 LB /200 KG
- RESISTANCE TYPE: PLATE LOADED
- MUSCLE GROUP TARGETED: CALVES
- MULTIPLE KNEE PAD HEIGHT ADJUSTMENT LEVELS



**MUSCLE GROUP**

**SET UP SIZE:**
56 X 29 X 37 IN
(1412 X 730 X 931 MM)


**MAX USER WEIGHT:**
440 LB /200 KG

# PRO PLUS HIP GLUTE



MODEL NO. SK-PROPLA-030

- SET UP SIZE - 83.46 X 71.65 X 30.71 IN (2120 X 1820 X 780 MM)
- MAX USER WEIGHT: 200 KG / 440 LBS
- MAX LOAD WEIGHT: 300 KG / 660 LBS
- TOTAL MAX LOAD WEIGHT: 500 KG / 1100 LBS
- PADDING THICKNESS - 2.16 IN/55 MM
- PADDING MATERIAL: PVC AND RECYCLED COTTON
- 4 SEAT ADJUSTMENT LEVELS
- 9 FOOT PLATE ADJUSTMENT LEVELS
- ADJUSTABLE LENGTH TO ACCOMMODATE ANY USER SIZE
- ADJUSTABLE ANGLE FOR PERFECT ISOLATION
- AUTO-LOCK PADDED BELT
- OVERSIZED BULLHORNS FOR MAXIMUM LOAD CAPACITY
- INDEPENDENT ARM MOVEMENT MECHANISM



**MUSCLE GROUP**

**SET UP SIZE:**
83.46 X 71.65 X 30.71 IN
(2120 X 1820 X 780 MM)

# PRO PLUS BOOTY BLASTER



MODEL NO. SK-PROPLA-091

- SET UP SIZE: 87 X 46.85 X 66.14 IN
  (2210 X 1190 X 1680 MM)
- HIGH QUALITY PADDING
- MAX USER WEIGHT: 440 LBS / 200 KG



**MUSCLE GROUP**

**SET UP SIZE:**
87 X 46.85 X 66.14 IN
(2210 X 1190 X 1680 MM)


**MAX USER WEIGHT:**
440 LB / 200 KG

# PRO PLUS REAR KICK



MODEL NO. SK-PROPLA-036

- SET UP SIZE: 57.4 X 64.9 X 55.5 IN
  (1660 X 1450 X 1000 MM)
- HIGH QUALITY PADDING
- PADDING THICKNESS - 2.16 IN / 55 MM
- EXTRA LARGE FOOT BASE FOR BETTER WORKOUT SUPPORT
- EXTRA LARGE ELBOW SUPPORT PAD FOR MORE COMFORT
- PADDED SHIN GUARD/ANKLE PROTECTOR
- LOOP GRIP HANDLE FOR MULTIPLE HOLD OPTIONS
- MAX LOAD WEIGHT: 264 LBS / 120 KG



**MUSCLE GROUP**

**SET UP SIZE:**
57.4 X 64.9 X 55.5 IN
(1660 X 1450 X 1000 MM)

**MAX LOAD WEIGHT:**
330 LBS / 150 KG

FITNESS EQUIPMENT

SKELCORE

# PRO PLUS MULTI GRIP DEADLIFT/LUNGE V2



MODEL NO. SK-PROPLA-231

- SET UP SIZE (IN/MM): 57.93 X 65.47 X 33.37 IN / 1471 X 1663 X 847 MM
- MAX USER WEIGHT (LB/KG): 330 LB / 150KG
- RESISTANCE TYPE: PLATE LOADED
- STELL TUBE THICKNESS: 3MM
- MUSCLE GROUP TARGETED: LEG, BACK AND GLUTE MUSCLES
- OPTIONAL ISO-LATERIAL MECHANISM TO ALLOW USER TO USERS TO MOVE BETWEEN UNILATERAL AND BILATERAL MOVEMENTS



**MUSCLE GROUP**

**SET UP SIZE:**
57.93 X 65.47 X 33.37 IN
(1471 X 1663 X 847 MM)


**MAX USER WEIGHT:**
330 LB / 150KG

# PRO PLUS LINEAR BULGARIAN SQUAT



MODEL NO. SK-PROPLA-213

- SET UP SIZE (IN/MM): 81.1 X 48.42 X 20.07 IN / 2060 X 1230 X 510 MM
- MAX USER WEIGHT (LB/KG): 330 LB / 150KG
- RESISTANCE TYPE: PLATE LOADED
- STELL TUBE THICKNESS: 3MM
- MUSCLE GROUP TARGETED: LEG AND GLUTE MUSCLES



**MUSCLE GROUP**

**SET UP SIZE:**
81.1 X 48.42 X 20.07 IN
(2060 X 1230 X 510 MM)

**MAX USER WEIGHT:**
330 LB / 150KG



# TRINITY SERIES
# PIN LOADED

SKELCORE

# KEY HIGHLIGHTS



LASER CUT STEEL-FRONT SHROUD



ALUMINIUM PULLEYS
FOR SMOOTH MOVEMENT



POP PIN ADJUSTMENT
ON SEAT



PU UPHOLSTERY WITH
MULTI-LAYER FOAM





SKELCORE

# TRINITY CHEST PRESS



MODEL NO. SK-TRIN-001

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 220LB/100KG
- MAX TOTAL LOAD WEIGHT: 286.6 LB / 130 KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
48.82 x 53.54 x 60.63 IN
(1240 x 1360 x 1540 MM)


**MAX USER WEIGHT:**
330.69 LB/ 150 KG

# TRINITY SHOULDER PRESS



MODEL NO. SK-TRIN-003

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 220LB / 100KG
- MAX TOTAL LOAD WEIGHT: 220 LB / 100 KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
55.12 x 65.75 x 60.63 IN
(1400 x 1670 x 1540 MM)


**MAX USER WEIGHT:**
330.69 LB / 150 KG

# TRINITY PEC FLY / REAR DELT



MODEL NO. SK-TRIN-002

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 220LBS / 100KG
- MAX TOTAL LOAD WEIGHT: 176 LB / 80 KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
55.12 x 44.49 x 79.13 IN
(1400 x 1130 x 2010 MM)


**MAX USER WEIGHT:**
330.69 LB / 150 KG

# TRINITY SEATED ROW



MODEL NO. SK-TRIN-005

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 220LB / 100KG
- MAX TOTAL LOAD WEIGHT: 286.6 LB / 130 KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT"



**MUSCLE GROUP**

**SET UP SIZE:**
61.02 x 47.24 x 60.63 IN
(1550 x 1200 x 1540 MM)

**MAX USER WEIGHT:**
330.69 LB / 150 KG

FITNESS EQUIPMENT


SKELCORE



## TRINITY ASSISTED CHIN / DIP

MODEL NO. SK-TRIN-008

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 220LB / 100KG
- MAX TOTAL LOAD WEIGHT: 286.6 LB / 130 KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
37.01 x 53.54 x 95.28 IN
(1140 x 1360 x 2420 MM)

**MAX USER WEIGHT:**
330.69 LB / 150 KG



## TRINITY LAT PULL DOWN

MODEL NO. SK-TRIN-012

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 220LB / 100 KG
- MAX TOTAL LOAD WEIGHT: 286 LB / 130KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
56.69 x 50.39 x 87.40 IN
(1440 x 1280 x 2220 MM)


**MAX USER WEIGHT:**
330.69 LB / 150 KG



## TRINITY LAT PULLDOWN / LOW ROW

MODEL NO. SK-TRIN-025

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 220LB / 100KG
- MAX TOTAL LOAD WEIGHT: 286 LB / 130 KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
85.83 x 53.94 x 88.98 IN
(2180 x 1370 x 2260 MM)


**MAX USER WEIGHT:**
330.69 LB / 150 KG



## TRINITY LOWER BACK

MODEL NO. SK-TRIN-009

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 220 LB / 100 KG
- MAX TOTAL LOAD WEIGHT: 286.6 LB / 130 KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
52.76 x 39.37 x 60.63 IN
(1340 x 1000 x 1540 MM)

**MAX USER WEIGHT:**
330.69 LB / 150 KG

FITNESS EQUIPMENT


SKELCORE

# TRINITY SEATED CABLE LOW ROW



MODEL NO. SK-TRIN-013

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 220LB / 100KG
- MAX TOTAL LOAD WEIGHT: 286.6 LB / 130 KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
61.81 x 34.65 x 66.54 IN
(1570 x 880 x 1690 MM)


**MAX USER WEIGHT:**
330.69 LB / 150 KG

# TRINITY PRONE LEG CURL



MODEL NO. SK-TRIN-015

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 220LB / 100 KG
- MAX TOTAL LOAD WEIGHT: 220 LB / 100 KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
61.02 x 36.61 x 60.63 IN
(1550 x 930 X 1540 MM)

**MAX USER WEIGHT:**
330.69 LB / 150 KG

# TRINITY LEG EXTENSION



MODEL NO. SK-TRIN-016

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 220LB / 100 KG
- MAX TOTAL LOAD WEIGHT: 286.6 LB / 130 KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
59.84 x 40.55 x 60.63 IN
(1520 x 1030 x 1540 MM)


**MAX USER WEIGHT:**
330.69 LB / 150 KG

# TRINITY SEATED LEG CURL



MODEL NO. SK-TRIN-014

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- MAX USER WEIGHT: 330.69LB / 150KG
- WEIGHT STACK: 220LB / 100 KG
- MAX TOTAL LOAD WEIGHT: 220LB / 100KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
66.93 x 40.94 x 60.63 IN
(1700 x 1040 x 1540 MM)

**MAX USER WEIGHT:**
330.69 LB / 150 KG

FITNESS EQUIPMENT


SKELCORE

# TRINITY LEG PRESS



MODEL NO. SK-TRIN-017

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 220LB / 100 KG
- MAX TOTAL LOAD WEIGHT: 286.6 LB / 130 KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
87.80 x 41.73 x 60.63 IN
(2230 x 1060 x 1540 MM)

**MAX USER WEIGHT:**
330.69 LB / 150 KG

# TRINITY REAR KICK GLUTE



MODEL NO. SK-TRIN-018

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 220 LB / 100 KG
- MAX TOTAL LOAD WEIGHT: 220 LB / 100 KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
55.51 x 36.22 x 60.63 IN
(1410 x 920 x 1540 MM)


**MAX USER WEIGHT:**
330.69 LB / 150 KG

# TRINITY SEATED CALF EXTENSION



MODEL NO. SK-TRIN-019

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 220 LB / 100 KG
- MAX TOTAL LOAD WEIGHT: 286.6 LB / 130 KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
61.81 x 43.70 x 60.63 IN
(1570 x 1110 x 1540 MM)


**MAX USER WEIGHT:**
330.69 LB / 150 KG

# TRINITY ABDUCTOR



MODEL NO. SK-TRIN-020

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 220 LB / 100 KG
- MAX TOTAL LOAD WEIGHT: 286.6 LB /130 KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
31.10 x 66.93 x 60.63 IN
(790 x 1700 x 1540 MM)

**MAX USER WEIGHT:**
330.69 LB / 150 KG

FITNESS EQUIPMENT


SKELCORE

# TRINITY ADDUCTOR



MODEL NO. SK-TRIN-021

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 220 LB / 100 KG
- MAX TOTAL LOAD WEIGHT: 286.6 LB / 130 KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
31.10 x 66.93 x 60.63 in
(790 x 1700 x 1540 mm)


**MAX USER WEIGHT:**
330.69 LB / 150 KG

# TRINITY TRICEP EXTENSION



MODEL NO. SK-TRIN-007

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 220 LB /100 KG
- MAX TOTAL LOAD WEIGHT: 286.6 LB / 130 KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
37.01 x 39.37 x 60.63 IN
(940 x 1000 x 1540 MM)


**MAX USER WEIGHT:**
330.69 LB / 150 KG

# TRINITY BICEP CURL



MODEL NO. SK-TRIN-006

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 176.37 LB / 80 KG
- MAX TOTAL LOAD WEIGHT: 220 LB / 100 KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT




**MUSCLE GROUP**

**SET UP SIZE:**
52.36 x 39.37 x 60.63 IN
(1330 x 1000 x 1540 MM)


**MAX USER WEIGHT:**
330.69 LB / 150 KG

# TRINITY DELTS



MODEL NO. SK-TRIN-004

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 176.37 LB / 80 KG
- MAX TOTAL LOAD WEIGHT: 220 LB / 100 KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
45.28 x 50 x 60.63 IN
(1150 x 1270 x 1540 MM)

**MAX USER WEIGHT:**
330.69 LB / 150 KG

FITNESS EQUIPMENT


SKELCORE

## TRINITY ABDOMINAL CRUNCH



MODEL NO. SK-TRIN-010

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 176LB / 80KG
- MAX TOTAL LOAD WEIGHT: 220 LB / 100 KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
53.15 x 38.58 x 60.63 IN
(1350 x 980 x 1540 MM)


**MAX USER WEIGHT:**
330.69 LB/ 150 KG

## TRINITY ROTARY TORSO



MODEL NO. SK-TRIN-011

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 176.37 LB / 80 KG
- MAX TOTAL LOAD WEIGHT: 220 LB / 100 KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
46.46 x 45.28 x 60.63 IN
(1180 x 1150 x 1540 MM)


**MAX USER WEIGHT:**
330.69 LB / 150 KG

## TRINITY SEATED CHEST AND SHOULDER PRESS



MODEL NO. SK-TRIN-022

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 220LB / 100 KG
- MAX TOTAL LOAD WEIGHT: 220 LB / 100 KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
61.81 x 55.12 x 60.63 IN
(1570 x 1400 x 1540 MM)


**MAX USER WEIGHT:**
330.69 LB / 150 KG

## TRINITY BICEPS / TRICEPS



MODEL NO. SK-TRIN-023

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 176.37 LB / 80 KG
- MAX TOTAL LOAD WEIGHT: 220 LB / 100 KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
53.54 x 40.16 x 60.63 IN
(1360 x 1020 x 1540 MM)

**MAX USER WEIGHT:**
330.69 LB / 150 KG

FITNESS EQUIPMENT


SKELCORE

## TRINITY LOW BACK EXTENSION / ABDOMINAL CRUNCH



MODEL NO. SK-TRIN-024

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 176LB / 80KG
- MAX TOTAL LOAD WEIGHT: 220 LB / 100KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
50.79 x 51.57 X 60.63 IN
(1290 x 1310 x 1540 MM)

**MAX USER WEIGHT:**
330.69 LB / 150 KG

## TRINITY LEG EXTENSION / LEG CURL



MODEL NO. SK-TRIN-026

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 220LB / 100 KG
- MAX TOTAL LOAD WEIGHT: 286.6 LB / 130 KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
61.42 x 42.91 x 60.63 IN
(1560 x 1090 x 1540 MM)


**MAX USER WEIGHT:**
330.69 LB / 150 KG

## TRINITY ADDUCTOR / ABDUCTOR



MODEL NO. SK-TRIN-027

- PADDING MATERIAL: PU UPHOLSTERY WITH MULTI-LAYER
- FOAM
- WEIGHT STACK: 220 LB / 100 KG
- MAX TOTAL LOAD WEIGHT: 286.6 LB / 130 KG
- **FEATURES:**
- STEEL FRONT SHROUD WITH LAZER CUT ICON LOGOS
- POP-PIN ADJUSTMENT
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENT



**MUSCLE GROUP**

**SET UP SIZE:**
31.10 x 65.35 x 60.63 IN
(790 x 1660 x 1540 MM)

**MAX USER WEIGHT:**
330.69 LB / 150 KG

FITNESS EQUIPMENT

SKELCORE


POWER SERIES
PIN LOADED
SKELCORE

# KEY HIGHLIGHTS



BODY CONTOURING SEAT



STAINLESS STEEL KNURLED HANDLES



HALF STEEL SHROUD



SMALL FOOT PRINT





SKELCORE

## POWER
## CHEST PRESS



MODEL NO. SK-PWR-001

- **SMALL FOOT PRINT:** 1500 x 1100 x 1630 mm / 59.06 x 43.31 x 64.17 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 117KG +4.6KG / 257LBS + 10.14LBS
- MACHINE WEIGHT: 229 KG / 504.86 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**


**MAX USER WEIGHT:**
330 LB / 150 KG

## POWER
## REAR DELT / PEC FLY



MODEL NO. SK-PWR-002

- **SMALL FOOT PRINT:** 1260 x 1480 x 1980 mm / 49.61 x 58.27 x 77.95 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 117KG +4.6KG / 257LBS + 10.14LBS
- MACHINE WEIGHT: 228 KG / 502.65 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**


**MAX USER WEIGHT:**
330 LB / 150 KG

## POWER
## SHOULDER PRESS



MODEL NO. SK-PWR-003

- **SMALL FOOT PRINT:** 1360 x 1430 x 1630 mm / 53.54 x 56.3 x 64.17 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 117KG +4.6KG / 257LBS + 10.14LBS
- MACHINE WEIGHT: 224 KG / 493.83 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**


**MAX USER WEIGHT:**
330 LB / 150 KG

## POWER
## LATERAL RAISE



MODEL NO. SK-PWR-008

- **SMALL FOOT PRINT:** 1100 x 1000 x 1630 mm / 43.31 x 39.37 x 64.17 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 96 KG +4.6 KG / 211.64 LBS + 10.14 LBS
- MACHINE WEIGHT: 233 KG / 513.68 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**

**MAX USER WEIGHT:**
330 LB / 150 KG

FITNESS EQUIPMENT


SKELCORE



## POWER
## FIXED PULLDOWN

MODEL NO. SK-PWR-009

- **SMALL FOOT PRINT:** 1425 x 1335 x 1900 mm / 56.1 x 52.56 x 74.8 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 117KG +4.6KG / 257LBS + 10.14LBS
- MACHINE WEIGHT: 228 KG / 502.65 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**


**MAX USER WEIGHT:**
330 LB / 150 KG



## POWER
## LAT PULLDOWN

MODEL NO. SK-PWR-004

- **SMALL FOOT PRINT:** 1480 x 870 x 2265 mm / 58.27 x 34.25 x 89.17 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 117KG +4.6KG / 257LBS + 10.14LBS
- MACHINE WEIGHT: 202 KG / 445.33 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**


**MAX USER WEIGHT:**
330 LB / 150 KG



## POWER
## LOW ROW

MODEL NO. SK-PWR-010

- **SMALL FOOT PRINT:** 1280 x 860 x 1915 mm / 50.39 x 33.86 x 75.39 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 117KG +4.6KG / 257LBS + 10.14LBS
- MACHINE WEIGHT: 234 KG / 515.88 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**


**MAX USER WEIGHT:**
330 LB / 150 KG



## POWER
## BICEP CURL

MODEL NO. SK-PWR-011

- **SMALL FOOT PRINT:** 1140 x 1100 x 1400 mm / 44.88 x 43.31 x 55.12 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 96 KG + 4.6KG / 211.64 LBS + 10.1 4LBS
- MACHINE WEIGHT: 198 KG / 436.51 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**

**MAX USER WEIGHT:**
330 LB / 150 KG

FITNESS EQUIPMENT


SKELCORE



## POWER
## TRICEP EXTENSION

MODEL NO. SK-PWR-012

- **SMALL FOOT PRINT:** 1140 x 1100 x 1400 mm / 44.88 x 43.31 x 55.12 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 96 KG + 4.6 KG / 211.64 LBS + 10.14 LBS
- MACHINE WEIGHT: 209 KG / 460.77 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**


**MAX USER WEIGHT:**
330 LB / 150 KG



## POWER
## DIP / CHIN ASSIST

MODEL NO. SK-PWR-005

- **SMALL FOOT PRINT:** 1200 x 1100 x 2200 mm / 47.24 x 43.31 x 86.6 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 96 KG + 4.6 KG / 211.64 LBS + 10.14 LBS
- MACHINE WEIGHT: 304 KG / 670.2 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**


**MAX USER WEIGHT:**
330 LB / 150 KG



## POWER
## LEG PRESS

MODEL NO. SK-PWR-013

- **SMALL FOOT PRINT:** 1860 x 1070 x 1800 mm / 73.23 x 42.13 x 70.87 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 117KG +4.6KG / 257LBS + 10.14LBS
- MACHINE WEIGHT: 334 KG / 736.34 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**


**MAX USER WEIGHT:**
330 LB / 150 KG



## POWER
## LEG EXTENSION

MODEL NO. SK-PWR-006

- **SMALL FOOT PRINT:** 1290 x 1050 x 1635 mm / 50.79 x 41.34 x 64.37 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 96 KG + 4.6 KG / 211.64 LBS + 10.14 LBS
- MACHINE WEIGHT: 236 KG / 520.29 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**

**MAX USER WEIGHT:**
330 LB / 150 KG

FITNESS EQUIPMENT


SKELCORE

# POWER
# SEATED LEG CURL



MODEL NO. SK-PWR-007

- **SMALL FOOT PRINT:** 1270 x 1030 x 1635 mm / 50.0 x 40.55 x 64.37 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 96 KG + 4.6 KG / 211.64 LBS + 10.14 LBS
- MACHINE WEIGHT: 252 KG / 555.56 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**


**MAX USER WEIGHT:**
330 LB / 150 KG

# POWER
# PRONE LEG CURL



MODEL NO. SK-PWR-014

- **SMALL FOOT PRINT:** 1500 x 950 x 1400 mm / 59.06 x 37.4 x 55.12 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 96 KG + 4.6 KG / 211.64 LBS + 10.14 LBS
- MACHINE WEIGHT: 219 KG / 482.81 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**


**MAX USER WEIGHT:**
330 LB / 150 KG

# POWER
# ABDUCTOR



MODEL NO. SK-PWR-015

- **SMALL FOOT PRINT:** 1500 x 700 x 1400 mm / 59.06 x 27.56 x 55.12 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISABILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 96 KG + 4.6 KG / 211.64 LBS + 10.14 LBS
- MACHINE WEIGHT: 228 KG / 502.65 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**


**MAX USER WEIGHT:**
330 LB / 150 KG

# POWER
# ADDUCTOR



MODEL NO. SK-PWR-016

- **SMALL FOOT PRINT:** 1500 x 700 x 1400 mm / 59.06 x 27.56 x 55.2
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 96 KG + 4.6 KG / 211.64 LBS + 10.14 LBS
- MACHINE WEIGHT: 229 KG / 504.86 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**

**MAX USER WEIGHT:**
330 LB / 150 KG

FITNESS EQUIPMENT


SKELCORE



## POWER
## STANDING CALF

MODEL NO. SK-PWR-017

- **SMALL FOOT PRINT:** 1380 x 1100 x 1830 mm / 54.33 x 43.31 x 72.05 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 96 KG + 4.6 KG / 211.64 LBS + 10.14 LBS
- MACHINE WEIGHT: 220 KG / 485.02 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**


**MAX USER WEIGHT:**
330 LB / 150 KG



## POWER
## MULTI HIP

MODEL NO. SK-PWR-018

- **SMALL FOOT PRINT:** 1735 x 1050 x 1800 mm / 68.31 x 41.34 x 70.87 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 96 KG + 4.6 KG / 211.64 LBS + 10.14 LBS
- MACHINE WEIGHT: 240 KG / 529.11 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**


**MAX USER WEIGHT:**
330 LB / 150 KG



## POWER
## BACK EXTENSION

MODEL NO. SK-PWR-019

- **SMALL FOOT PRINT:** 1160 x 1000 x 1400 mm / 45.67 x 39.37 x 55.12 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 96 KG + 4.6 KG / 211.64 LBS + 10.14LBS
- MACHINE WEIGHT: 205 KG / 451.95 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**


**MAX USER WEIGHT:**
330 LB / 150 KG



## POWER
## ABDOMINAL CRUNCH

MODEL NO. SK-PWR-020

- **SMALL FOOT PRINT:** 1500 x 885 x 1400 mm / 59.06 x 34.84 x 55.12 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 96 KG + 4.6 KG / 211.64 LBS + 10.14 LBS
- MACHINE WEIGHT: 214 KG / 471.79 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**

**MAX USER WEIGHT:**
330 LB / 150 KG

FITNESS EQUIPMENT


SKELCORE

# POWER
# CABLE LOW ROW



MODEL NO. SK-PWR-021

- **SMALL FOOT PRINT:** 1980 x 850 x 1800 mm / 77.95 x 33.46 x 70.87 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 117KG +4.6KG / 257LBS + 10.14LBS
- MACHINE WEIGHT: 230 KG / 507.06 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**


**MAX USER WEIGHT:**
330 LB / 150 KG

# POWER
# SEATED LEG CURL / EXTENSION



MODEL NO. SK-PWR-022

- **SMALL FOOT PRINT:** 1290 x 1050 x 1635 mm / 50.79 x 41.34 x 64.37 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 96 KG + 4.6 KG / 211.64 LBS + 10.14 LBS
- MACHINE WEIGHT: 256 KG / 564.38 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**


**MAX USER WEIGHT:**
330 LB / 150 KG

# POWER
# ABDUCTOR / ADDUCTOR



MODEL NO. SK-PWR-023

- **SMALL FOOT PRINT:** 1500 x 700 x 1400 mm / 59.06 x 27.56 x 55.12 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 96 KG + 4.6 KG / 211.64 LBS + 10.14 LBS
- MACHINE WEIGHT: 240 KG / 529.11 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**


**MAX USER WEIGHT:**
330 LB / 150 KG

# POWER
# LAT PULLDOWN / LOW ROW



MODEL NO. SK-PWR-024

- **SMALL FOOT PRINT:** 2150 x 850 x 2260 mm / 84.65 x 33.46 x 88.98 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 117KG +4.6KG / 257LBS + 10.14LBS
- MACHINE WEIGHT: 250 KG / 551.15 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**

**MAX USER WEIGHT:**
330 LB / 150 KG

FITNESS EQUIPMENT


SKELCORE

# POWER
# BICEP AND TRICEP



MODEL NO. SK-PWR-025

- **SMALL FOOT PRINT:** 1215 x 1055 x 1405 mm / 47.83 x 41.54 x 55.31 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 96 KG + 4.6 KG / 211.64 LBS + 10.14 LBS
- MACHINE WEIGHT: 213 KG / 469.58 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**


**MAX USER WEIGHT:**
330 LB / 150 KG

# POWER
# CHEST PRESS AND SHOULDER PRESS



MODEL NO. SK-PWR-026

- **SMALL FOOT PRINT:** 1885 x 1400 x 1635 mm / 74.21 x 55.12 x 64.37 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 96 KG + 4.6 KG / 211.64 LBS + 10.14 LBS
- MACHINE WEIGHT: 270 KG / 595.25 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**


**MAX USER WEIGHT:**
330 LB / 150 KG

# POWER
# ABDOMINAL CRUNCH / BACK EXTENSION



MODEL NO. SK-PWR-027

- **SMALL FOOT PRINT:** 1165 x 1040 x 1400 mm / 45.87 x 40.94 x 55.12 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 96 KG + 4.6 KG / 211.64 LBS + 10.14 LBS
- MACHINE WEIGHT: 205 KG / 451.95 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**

**MAX USER WEIGHT:**
330 LB / 150 KG

# POWER
# PRONE LEG CURL AND LEG EXTENSION



MODEL NO. SK-PWR-028

- **SMALL FOOT PRINT:** 1540 x 1050 x 1635mm / 60.63 x 41.34 x 64.37 in
- MULTIPLE ADJUSTMENT POINTS
- HALF SHROUD FOR BETTER VISIBILITY THROUGH YOUR FACILITY.
- BODY CONTOURING SEAT.
- KNURLED STAINLESS STEEL HANDLES
- WEIGHT STACK: 96 KG + 4.6 KG / 211.64 LBS + 10.14 LBS
- MACHINE WEIGHT: 225 KG / 496.04 LBS
- ALUMINIUM PULLEYS FOR SMOOTH MOVEMENTS
- CABLE DRIVEN SYSTEM



**MUSCLE GROUP**

**MAX USER WEIGHT:**
330 LB / 150 KG

FITNESS EQUIPMENT

SKELCORE




# APEX SERIES
# PIN LOADED

SKELCORE

# KEY HIGHLIGHTS



SLEEK MODERN SQUARE STEEL SHROUD



ALUMINIUM PULL-PINS



PIN LOADED LINEAR SEAT HEIGHT ADJUSTMENT



DURABLE RUBBERIZED HANDLES




SKELCORE

# APEX
# PIN LOADED CHEST PRESS

MODEL NO. SK-APEX-01



- 50 X 40.59 X 59.85 IN /1270 X 1031 X 1520 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
50 X 40.59 X 59.85 IN
(1270 X 1031 X 1520 MM)


**MAX USER WEIGHT:**
330 LB / 150 KG

# APEX
# PIN LOADED SHOULDER PRESS

MODEL NO. SK-APEX-02



- 48.62 X 58.66 X 59.84 IN / 1235 X 1490 X 1520 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
48.62 X 58.66 X 59.84 IN
(235 X 1490 X 1520 MM)


**MAX USER WEIGHT:**
330 LB / 150 KG

# APEX
# PIN LOADED MULTI PRESS

MODEL NO. SK-APEX-03



- 51.81 X 72.13 X 59.84 IN / 1316 X 1832 X 1520 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
51.81 X 72.13 X 59.84 IN
(1316 X 1832 X 1520 MM)


**MAX USER WEIGHT:**
330 LB / 150 KG

# APEX
# PIN LOADED LATERAL RAISE

MODEL NO. SK-APEX-31



- 42.52 X 47.64 X 63.78 IN (1080 X 1210 X 1620 MM)
- WEIGHT STACK: 100 KG / 220 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
42.52 X 47.64 X 63.78 IN
(1080 X 1210 X 1620 MM)

**MAX USER WEIGHT:**
330 LB / 150 KG




SKELCORE



## APEX
## PIN LOADED LAT PULLDOWN

MODEL NO. SK-APEX-04

- 42.32 X 53.23 X 71.46 IN / 1075 X 1352 X 1815 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
2.32 X 53.23 X 71.46 IN
(1075 X 1352 X 1815 MM)


**MAX USER WEIGHT:**
330 LB / 150 KG



## APEX
## PIN LOADED LAT PULL/SEATED ROW

MODEL NO. SK-APEX-05

- 37.44 X 78.27 X 84.92 IN / 951 X 1988 X 2157 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
37.44 X 78.27 X 84.92 IN
(951 X 1988 X 2157 MM)


**MAX USER WEIGHT:**
330 LB / 150KG



## APEX
## PIN LOADED SEATED CABLE SEATED ROW

MODEL NO. SK-APEX-06

- 36.61 X 68.19 X 59.84 IN / 930 X 1732 X 1520 MM
- WEIGHT STACK: 120 KG / 264LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
36.61 X 68.19 X 59.84 IN
(930 X 1732 X 1520 MM)


**MAX USER WEIGHT:**
330 LB / 150 KG



## APEX
## PIN LOADED PEC FLY / REAR DELT

MODEL NO. SK-APEX-07

- 58.70 X (1010-329) X 79.29 IN / 1491 X (1010-329) X 2014 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
58.70 X (1010-329) X 79.29 IN
1491 X (1010-329) X 2014 MM

**MAX USER WEIGHT:**
330 LB / 150 KG

FITNESS EQUIPMENT


SKELCORE



## APEX
## PIN LOADED BICEP CURL

MODEL NO. SK-APEX-08

- 45.83 X 41.38 X 59.84 IN / 1164 X 1051 X 1520 MM
- WEIGHT STACK: 90 KG / 198 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
45.83 X 41.38 X 59.84 IN
(1164 X 1051 X 1520 MM)


**MAX USER WEIGHT:**
330 LB / 150 KG



## APEX
## PIN LOADED BICEP / TRICEP

MODEL NO. SK-APEX-09

- 45.83 X 41.38 X 59.84 IN / 1164 X 1051 X 1520 MM
- WEIGHT STACK: 90 KG / 198 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
45.83 X 41.38 X 59.84 IN
(1164 X 1051 X 1520 MM)


**MAX USER WEIGHT:**
330 LB / 150KG



## APEX
## PIN LOADED TRICEP EXTENSION

MODEL NO. SK-APEX-10

- 35.12 X 41.02 X 59.84 IN / 892 X 1042 X 1520 MM
- WEIGHT STACK: 90 KG / 198 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
35.12 X 41.02 X 59.84 IN
(892 X 1042 X 1520 MM)


**MAX USER WEIGHT:**
330 LB / 150 KG



## APEX
## PIN LOADED ASSISTED CHIN-UP / DIP

MODEL NO. SK-APEX-14

- 49.09 X 36.61 X 89.37 IN / 1247 X 930 X 2270 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
49.09 X 36.61 X 89.37 IN
(1247 X 930 X 2270 MM)

**MAX USER WEIGHT:**
330 LB / 150 KG



SKELCORE




AB CIRCUIT

## APEX
## PIN LOADED
## CABLE ABDOMINAL

MODEL NO. SK-APEX-12

- 52.36 X 38.98 X 63.78 IN / 1330 X 990 X 1620 MM
- WEIGHT STACK: 90 KG / 198 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
52.36 X 38.98 X 63.78 IN
(1330 X 990 X 1620 MM)

**MAX USER WEIGHT:**
330 LB / 150 KG




AB CIRCUIT

## APEX
## PIN LOADED
## ABDOMINAL

MODEL NO. SK-APEX-13

- 44.09 X 40.94 X 59.84 IN / 1120 X 1040 X 1520 MM
- WEIGHT STACK: 90 KG / 198 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
44.09 X 40.94 X 59.84 IN
(1120 X 1040 X 1520 MM)

**MAX USER WEIGHT:**
330 LB / 150KG




AB CIRCUIT

## APEX
## PIN LOADED
## BACK EXTENSION

MODEL NO. SK-APEX-30

- 44.09 X 40.94 X 59.84 IN / 1120 X1040 X 1520 MM
- WEIGHT STACK: 90 KG / 198 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
44.09 X 40.94 X 59.84 IN
(1120 X1040 X 1520 MM)

**MAX USER WEIGHT:**
330 LB / 150KG




AB CIRCUIT

## APEX
## PIN LOADED
## ABDOMINAL CRUNCH

MODEL NO. SK-APEX-28

- 52.36 X 38.98 X 63.78 IN / 1330 X 990 X 1620 MM
- WEIGHT STACK: 100 KG / 220 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
52.36 X 38.98 X 63.78 IN
(1330 X 990 X 1620 MM)

**MAX USER WEIGHT:**
330 LB / 150 KG

FITNESS EQUIPMENT

SKELCORE




AB CIRCUIT

## APEX
## PIN LOADED TORSO ROTATION

MODEL NO. SK-APEX-11

- 52.36 X 43.90 X 59.84 IN / 1330 X 1115 X 1520 MM
- WEIGHT STACK: 90 KG / 198 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
52.36 X 43.90 X 59.84 IN
(1330 X 1115 X 1520 MM)


**MAX USER WEIGHT:**
330 LB / 150 KG



## APEX
## PIN LOADED LEG EXTENSION

MODEL NO. SK-APEX-16

- 41.34 X 44.49 X 59.84 IN / 1050 X 1130 X 1520 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
41.34 X 44.49 X 59.84 IN
(1050 X 1130 X 1520 MM)


**MAX USER WEIGHT:**
330 LB / 150 KG



## APEX
## PIN LOADED PRONE LEG CURL

MODEL NO. SK-APEX-18

- 39.29 X 66.14 X 59.84 IN / 998 X 1680 X 1520 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
39.29 X 66.14 X 59.84 IN
(998 X 1680 X 1520 MM)


**MAX USER WEIGHT:**
330 LB / 150KG



## APEX
## PIN LOADED SEATED LEG CURL

MODEL NO. SK-APEX-17

- 61.42 X 45.28 X 59.84 IN / 1560 X 1150 X 1520 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
61.42 X 45.28 X 59.84 IN
(1560 X 1150 X 1520 MM)

**MAX USER WEIGHT:**
330 LB / 150KG



SKELCORE



## APEX
## PIN LOADED LEG EXTENSION / LEG CURL

MODEL NO. SK-APEX-29

- 41.34 X 44.49 X 59.84 IN / 1050 X 1130 X 1520 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
41.34 X 44.49 X 59.84 IN
(1050 X 1130 X 1520 MM)


**MAX USER WEIGHT:**
330 LB / 150KG



## APEX
## PIN LOADED LEG PRESS

MODEL NO. SK-APEX-20

- 44.17 X 71.06 X 72.05 IN / 1122 X 1805 X 1830 MM
- WEIGHT STACK: 140 KG / 308 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
44.17 X 71.06 X 72.05 IN
(1122 X 1805 X 1830 MM)

**MAX USER WEIGHT:**
330 LB / 150 KG




GLUTE CIRCUIT

## APEX
## PIN LOADED ADDUCTOR

MODEL NO. SK-APEX-23

- 66.73 X 27.95 X 59.84 IN / 1695 X 710 X 1520 MM
- WEIGHT STACK: 120 KG / 265 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
66.73 X 27.95 X 59.84 IN
(1695 X 710 X 1520 MM)

**MAX USER WEIGHT:**
330 LB / 150 KG




GLUTE CIRCUIT

## APEX
## PIN LOADED ABDUCTOR

MODEL NO. SK-APEX-24

- 66.73 X 27.95 X 59.84 IN / 1695 X 710 X 1520 MM
- WEIGHT STACK: 120 KG / 265 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
66.73 X 27.95 X 59.84 IN
(1695 X 710 X 1520 MM)

**MAX USER WEIGHT:**
330 LB / 150KG




SKELCORE




## APEX
## PIN LOADED MULTI HIP

MODEL NO. SK-APEX-21

- 36.42 X 49.21 X 59.84 IN / 925 X 1250 X 1520 MM
- WEIGHT STACK: 120 KG / 265 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
36.42 X 49.21 X 59.84 IN
(925 X 1250 X 1520 MM)


**MAX USER WEIGHT:**
330 LB / 150 KG




## APEX
## PIN LOADED ADDUCTOR / ABDUCTOR

MODEL NO. SK-APEX-22

- 66.73 X 27.95 X 59.84 IN / 1695 X 710 X 1520 MM
- WEIGHT STACK: 120 KG / 265 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
66.73 X 27.95 X 59.84 IN
(1695 X 710 X 1520 MM)


**MAX USER WEIGHT:**
330 LB / 150 KG




## APEX
## PIN LOADED SWEEPING GLUTE KICK-BACK

MODEL NO. SK-APEX-19

- 39.0 X 53.9 X 63.8 IN / 990 X 1370 X 1620 MM
- WEIGHT STACK: 100 KG / 220 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
39.0 X 53.9 X 63.8 IN
(990 X 1370 X 1620 MM)


**MAX USER WEIGHT:**
330 LB / 150 KG




## APEX
## PIN LOADED CABLE GLUTE KICK-BACK

MODEL NO. SK-APEX-26

- 49.21 X 30.31 X 66.14 IN / 1250 X 770 X 1680 MM
- WEIGHT STACK: 90 KG / 198 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
49.21 X 30.31 X 66.14 IN
(1250 X 770 X 1680 MM)

**MAX USER WEIGHT:**
330 LB / 150 KG

FITNESS EQUIPMENT

SKELCORE




GLUTE CIRCUIT

## APEX
## PIN LOADED
## STANDING HIP THRUST

MODEL NO. SK-APEX-25

- 51.57 X 27.95 X 59.84 IN / 1310 X 710 X 1520 MM
- WEIGHT STACK: 120 KG / 265 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
51.57 X 27.95 X 59.84 IN
(1310 X 710 X 1520 MM)

**MAX USER WEIGHT:**
330 LB / 150 KG




GLUTE CIRCUIT

## APEX
## PIN LOADED PIVOT
## HIP THRUST

MODEL NO. SK-APEX-27

- 80.71 X 39.76 X 66.14 IN / 2050 X 1010 X 1680 MM
- WEIGHT STACK: 120 KG / 265 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
80.71 X 39.76 X 66.14 IN
(2050 X 1010 X 1680 MM)

**MAX USER WEIGHT:**
330 LB / 150 KG




GLUTE CIRCUIT

## APEX
## PIN LOADED BACK
## AND HIP EXTENSION

MODEL NO. SK-APEX-15

- 40.35 X 51.97 X 59.84 IN / 1025 X 1320 X 1520 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



**MUSCLE GROUP**

**SET UP SIZE:**
40.35 X 51.97 X 59.84 IN
(1025 X 1320 X 1520 MM)

**MAX USER WEIGHT:**
330 LB / 150 KG



SKELCORE




# CARDIO

SKELCORE

# KEY HIGHLIGHTS



15 LEVEL SPEED ADJUSTMENT



MULTI-FUNCTION TFT SCREENS




50% INCLINE



SPECIALIZED DESIGN





SKELCORE

# MOUNTAIN 42 XL TREAD

MODEL NO. SK-MTN42XL

- SET UP SIZE (IN/MM): 72.05 X 37.01 X 68.11 IN / 1830 X 940 X 1730 MM
- SCREEN TYPE: LED
- MOTOR: 4.0HP DC BRUSHLESS
- MOTOR INCLINE: -6% TO 42%, 49 LEVELS
- RUNNING SURFACE (IN/MM): 60.24 X 21.65 IN / 1530 X 550 MM
- SPEED RANGE: 0.62-13.67 MPH / 1-22 KM/H
- MAX USER WEIGHT: 330.69 LBS / 150 KGS





**MUSCLE GROUP**

**SET UP SIZE:**
72.05 X 37.01 X 68.11 IN
(1830 X 940 X 1730 MM)

**MAX USER WEIGHT:**
330LB / 150KG

# COMMERCIAL STAIR MILL - LED MONITOR

MODEL NO. SK-SC-01

- SET UP SIZE (IN/MM): 64.96 X 31.10 X 89.96 IN/1650 X 790 X 2285 MM
- STEP SIZE (IN/MM): 19.69 X 10.24 X 7.20 IN / 500 X 260 X 183 MM
- MAX USER WEIGHT: 352.74 LBS / 160 KGS
- SCREEN TYPE: LED
- SPEED RANGE: 15 LEVELS / 14-160 PACE/MIN
- EFFECTIVE STEP: 3
- TOTAL STEPS: 8
- LED FUNCTIONS: 36 PRE-SET PROGRAMS, 3 USER MANUAL AND 1 MANUAL, WIRELESS CHARGER, AUTO STOP WITHOUT LOADING OR STOP IF LOADING BELOW 35 ± 5 KGS, ANTI-ROLLING PROTECTION, CONTINUOUS LIGHT LINE ON COVER WITH RED START AND GREEN STOP.





**MUSCLE GROUP**

**SET UP SIZE:**
64.96 X 31.10 X 89.96 IN
(1650 X 790 X 2285 MM)

**MAX LOAD WEIGHT:**
352.74 LBS / 160 KGS





SKELCORE

# COMMERCIAL STAIR MILL - 23.8" TFT MONITOR

MODEL NO. SK-SC-02

- SET UP SIZE (IN/MM): 64.96 X 31.10 X 89.96 IN / 1650 X 790 X 2285 MM
- STEP SIZE (IN/MM): 19.69 X 10.24 X 7.20 IN/500 X 260 X 183 MM
- MAX USER WEIGHT: 352.74 LBS / 160 KGS
- SCREEN TYPE: 23.8"" TFT
- SPEED RANGE: 15 LEVELS / 14-160 PACE/MIN
- EFFECTIVE STEP: 3
- TOTAL STEP: 8
- TFT FUNCTIONS: 36 PRE-SET PROGRAMS, 3 USER MANUAL AND 1 MANUAL, WIRELESS CHARGER, AUTO STOP WITHOUT LOADING OR STOP IF LOADING BELOW 35±5 KGS, ANTI-ROLLING PROTECTION, VIRTUAL VIDEO, BLUETOOTH HEADPHONE OUTPUT, BLUETOOTH HEART RATE RECEIVER, USB PORT, CONTINUOUS LIGHT LINE ON COVER WITH RED START AND GREEN STOP.





**MUSCLE GROUP**

**SET UP SIZE:**
64.96 X 31.10 X 89.96 IN
(1650 X 790 X 2285 MM)

**MAX USER WEIGHT:**
352.74 LBS / 160 KGS



# LIGHT COMMERCIAL STAIR MILL - LED MONITOR

MODEL NO. SK-LCSC-01

- SET UP SIZE (IN/MM): 51.18 X 29.88 X 78.11 IN / 1300 X 759 X 1984 MM
- STEP SIZE (IN/MM): 17.13 X 9.06 X 5.91 IN / 435 X 230 X 150 MM
- SCREEN TYPE: LED
- SPEED RANGE: 15 LEVELS / 14-140 PACE/MIN
- EFFECTIVE STEP: 3
- TOTAL STEP: 6
- LED FUNCTIONS: 36 PRE-SET PROGRAMS, 3 USER MANUAL AND 1 MANUAL, WIRELESS CHARGER, AUTO STOP WITHOUT LOADING OR STOP IF LOADING BELOW 35±5 KGS, ANTI-ROLLING PROTECTION.





**MUSCLE GROUP**

**SET UP SIZE:**
51.18 X 29.88 X 78.11 IN
(1300 X 759 X 1984 MM)

**MAX LOAD WEIGHT:**
330LB / 150KG






SKELCORE

# LIGHT COMMERCIAL STAIR MILL - 23.8" TFT MONITOR

MODEL NO. SK-LCSC-02

- SET UP SIZE (IN/MM): 51.18 X 29.88 X 79.92 IN / 1300 X 759 X 2030 MM
- STEP SIZE (IN/MM): 17.13 X 9.06 X 5.91 IN / 435 X 230 X 150 MM
- SCREEN TYPE: 23.8"" TFT
- SPEED RANGE: 15 LEVELS / 14-140 PACE/MIN
- EFFECTIVE STEP: 3
- TOTAL STEP: 6
- TFT FUNCTIONS: 36 PRE-SET PROGRAMS, 3 USER MANUAL AND 1 MANUAL, WIRELESS CHARGER, AUTO STOP WITHOUT LOADING OR STOP IF LOADING BELOW 35±5 KGS, ANTI-ROLLING PROTECTION, VIRTUAL VIDEO, BLUETOOTH HEADPHONE OUTPUT, BLUETOOTH HEART RATE RECEIVER, USB PORT.



**MUSCLE GROUP**

**SET UP SIZE:**
51.18 X 29.88 X 79.92 IN
(1300 X 759 X 2030 MM)

**MAX USER WEIGHT:**
330LB / 150KG



# MOUNTAIN 50-110V

MODEL NO. SK-MOUNTAIN50-110V

- AC MOTOR : 5.0HP PEAK/2.5HP CONT.
- **SPEED RANGE: 0-5MP/H (0.5-8KM/H) - 5 QUICK SPEED KEYS**
- SET UP SIZE: 53 X 36 X 69IN (1345 X 920 X 1755MM)
- CONSOLE: LARGE WINDOW LED, MP3, AUDIO OUTPUT; MUSICPLAY KEYS, IPAD STAND, MODES (MANUAL +P1-12 +U1-U3)
- MOTOR INCLINE: 5-50% - 6 QUICK INCLINE KEYS
- **RUNNING SURFACE: 43 X 20IN (1100 X 510MM)**
- ERGONOMIC HANDRAIL FOR CLIMB TRAINING
- MAX USER WEIGHT: 330LB/150KG






**MUSCLE GROUP**

**SET UP SIZE:**
53 X 36 X 69 IN
(1345 X 920 X 1755 MM)

**MAX LOAD WEIGHT:**
330LB / 150KG



FITNESS EQUIPMENT

SKELCORE

# MOUNTAIN 50-220V

MODEL NO. SK-MOUNTAIN50-220V

- AC MOTOR : 5.0HP PEAK/2.5HP CONT.
- **SPEED RANGE: 0-5MP/H (0.5-8KM/H) - 5 QUICK SPEED KEYS**
- SET UP SIZE: 53 X 36 X 69IN (1345 X 920 X 1755MM)
- CONSOLE: LARGE WINDOW LED, MP3, AUDIO OUTPUT; MUSICPLAY KEYS, IPAD STAND, MODES (MANUAL +P1-12 +U1-U3)
- MOTOR INCLINE: 5-50% - 6 QUICK INCLINE KEYS
- **RUNNING SURFACE: 43 X 20IN (1100 X 510MM)**
- ERGONOMIC HANDRAIL FOR CLIMB TRAINING
- MAX USER WEIGHT: 330LB/150KG






**MUSCLE GROUP**

**SET UP SIZE:**
53 X 36 X 69 IN
(1345 X 920 X 1755 MM)

**MAX USER WEIGHT:**
330LB / 150KG



# MOUNTAIN 50 PRO-110V

MODEL NO. SK-MOUNTAIN50-PRO-220V

- AC MOTOR : 5.0HP PEAK/2.5HP CONT.
- **SPEED RANGE: 0-10MP/H (0.5-16KM/H) - 5 QUICK SPEED KEYS**
- SET UP SIZE: 61 X 36 X 69 IN (1545 X 920 X 1755 MM)
- CONSOLE: LARGE WINDOW LED, MP3, AUDIO OUTPUT; MUSICPLAY KEYS, IPAD STAND, MODES (MANUAL +P1-12 +U1-U3)
- MOTOR INCLINE: 5-50% - 6 QUICK INCLINE KEYS
- **RUNNING SURFACE: 51 X 20IN (1300 X 510MM)**
- ERGONOMIC HANDRAIL FOR CLIMB TRAINING
- MAX USER WEIGHT: 330LB / 150KG






**MUSCLE GROUP**

**SET UP SIZE:**
61 X 36 X 69 IN
(1545 X 920 X 1755 MM)

**MAX LOAD WEIGHT:**
330LB / 150KG



FITNESS EQUIPMENT

SKELCORE

# MOUNTAIN 50 PRO-220V

MODEL NO. SK-MOUNTAIN50-PRO-220V

- AC MOTOR : 5.0HP PEAK/2.5HP CONT.
- SPEED RANGE: 0-10MP/H (0.5-16KM/H) - 5 QUICK SPEED KEYS
- SET UP SIZE: 61 X 36 X 69 IN (1545 X 920 X 1755 MM)
- CONSOLE: LARGE WINDOW LED, MP3, AUDIO OUTPUT;
- MUSICPLAY KEYS, IPAD STAND, MODES (MANUAL +P1-12 +U1-U3)
- MOTOR INCLINE: 5-50% - 6 QUICK INCLINE KEYS
- RUNNING SURFACE: 51 X 20IN (1300 X 510MM)
- ERGONOMIC HANDRAIL FOR CLIMB TRAINING
- MAX USER WEIGHT: 330LB / 150KG






**MUSCLE GROUP**

**SET UP SIZE:**
61 X 36 X 69 IN
(1545 X 920 X 1755 MM)

**MAX USER WEIGHT:**
330LB / 150KG





FITNESS EQUIPMENT

SKELCORE


BLACK SERIES
CARDIO
SKELCORE

# KEY HIGHLIGHTS




5.0 - 6.0 HP AC MOTOR OPTIONS



21.5 " LED SCREEN OPTIONS



HAND-GRIP WITH WIRELESS HEART RATE




INCREASED LEVEL RESISTANCE





SKELCORE



## TFT SLATTED TREADMILL-110V

MODEL NO. SK-SLATTREAD-TFT-110V

- SET UP SIZE: 72.05 X 37.01 X 66.14 IN / 1830 X 940 X 1680 MM
- RUNNING SURFACE (IN/MM): 62.99 X 21.65 IN/1600 X 550 MM
- MAX USER WEIGHT: 396.83 LBS / 180 KGS
- SCREEN TYPE: 23.8" TFT TOUCH SCREEN
- MOTOR: 3.0 HP CONTINUOUS POWER MOTOR
- SPEED RANGE: 0.6-15 MPH / 1-22 KPH
- INCLINE: 0%-15%
- TRAINING MODES: 3 MODES - SLED, RUNNING, MANUAL
- RUNNING SLED RESISTANCE: 5-36 SECTIONS
- TECH FEATURES: BLUETOOTH HEART RATE WITH CHEST STRAP, HANDLE PULSE, BUILT-IN SPEAKERS, WIRELESS CHARGOMG, BLUETOOTH HEADPHONE OUTPUT, USB PORT, PRE-SET APPS (YOUTUBE, SPOTIFY, FACEBOOK, TWITTER, INSTAGRAM, KINOMAP)
- NON-FOLDABLE WITH TWO TRANSPORT WHEELS
- CERTIFICATIONS: CE APPROVAL, EN957.



**MUSCLE GROUP**

**SET UP SIZE:**
72.05 X 37.01 X 66.14 IN
(1830 X 940 X 1680 MM)


**MAX USER WEIGHT:**
396.83 LBS / 180 KGS



## TFT SLATTED TREADMILL-220V

MODEL NO. SK-SLATTREAD-TFT-220V

- SET UP SIZE: 72.05 X 37.01 X 66.14 IN / 1830 X 940 X 1680 MM
- RUNNING SURFACE (IN/MM): 62.99 X 21.65 IN/1600 X 550 MM
- MAX USER WEIGHT: 396.83 LBS / 180 KGS
- SCREEN TYPE: 23.8" TFT TOUCH SCREEN
- MOTOR: 3.0 HP CONTINUOUS POWER MOTOR
- SPEED RANGE: 0.6-15 MPH / 1-22 KPH
- INCLINE: 0%-15%
- TRAINING MODES: 3 MODES - SLED, RUNNING, MANUAL
- RUNNING SLED RESISTANCE: 5-36 SECTIONS
- TECH FEATURES: BLUETOOTH HEART RATE WITH CHEST STRAP, HANDLE PULSE, BUILT-IN SPEAKERS, WIRELESS CHARGOMG, BLUETOOTH HEADPHONE OUTPUT, USB PORT, PRE-SET APPS (YOUTUBE, SPOTIFY, FACEBOOK, TWITTER, INSTAGRAM, KINOMAP)
- NON-FOLDABLE WITH TWO TRANSPORT WHEELS
- CERTIFICATIONS: CE APPROVAL, EN957.



**MUSCLE GROUP**

**SET UP SIZE:**
72.05 X 37.01 X 66.14 IN
(1830 X 940 X 1680 MM)


**MAX USER WEIGHT:**
396.83 LBS / 180 KGS



## LED SLATTED TREADMILL-110V

MODEL NO. SK-SLATTREAD-LED-110V

- SET UP SIZE: 72.05 X 37.01 X 66.93 IN / 1830 X 940 X 1700 MM
- RUNNING SURFACE (IN/MM): 62.99 X 21.65 IN / 1600 X 550 MM
- MAX USER WEIGHT: 396.83 LBS / 180 KGS
- SCREEN TYPE: LED
- MOTOR: 3.0 HP CONTINUOUS POWER MOTOR
- SPEED RANGE: 0.6-15 MPH / 1-22 KPH
- INCLINE: 0%-15%
- TRAINING MODES: 3 MODES - SLED, RUNNING,
- RUNNING SLED RESISTANCE: 5-36 SECTIONS
- CONTROL FUNCTIONS: 36 PRE-SET PROGRAMS, 3 USER MANUAL AND 1 MANUAL, SPEED & INCLINE CONTROL ON HANDLEBAR AND CONSOLE,
- TECH FEATURES: BLUETOOTH TO CONNECT APP AND HEART RATE WITH WIRELESS CHEST BELT, WIRELESS CHARGER
- TRANSPORTABILITY: NON-FOLDABLE WITH TWO TRANSPORT WHEELS
- CERTIFICATIONS: CE APPROVAL, EN957.



**MUSCLE GROUP**

**SET UP SIZE:**
72.05 X 37.01 X 66.93 IN
(1830 X 940 X 1700 MM)

**MAX USER WEIGHT:**
396.83 LBS / 180 KGS



## LED SLATTED TREADMILL-220V

MODEL NO. SK-SLATTREAD-LED-220V

- SET UP SIZE: 72.05 X 37.01 X 66.93 IN / 1830 X 940 X 1700 MM
- RUNNING SURFACE (IN/MM): 62.99 X 21.65 IN / 1600 X 550 MM
- MAX USER WEIGHT: 396.83 LBS / 180 KGS
- SCREEN TYPE: LED
- MOTOR: 3.0 HP CONTINUOUS POWER MOTOR
- SPEED RANGE: 0.6-15 MPH / 1-22 KPH
- INCLINE: 0%-15%
- TRAINING MODES: 3 MODES - SLED, RUNNING,
- RUNNING SLED RESISTANCE: 5-36 SECTIONS
- CONTROL FUNCTIONS: 36 PRE-SET PROGRAMS, 3 USER
- MANUAL AND 1 MANUAL, SPEED & INCLINE CONTROL ON
- HANDLEBAR AND CONSOLE,
- TECH FEATURES: BLUETOOTH TO CONNECT APP AND HEART
- RATE WITH WIRELESS CHEST BELT, WIRELESS CHARGER
- TRANSPORTABILITY: NON-FOLDABLE WITH TWO TRANSPORT WHEELS
- CERTIFICATIONS: CE APPROVAL, EN957.



**MUSCLE GROUP**

**SET UP SIZE:**
72.05 X 37.01 X 66.93 IN
(1830 X 940 X 1700 MM)

**MAX USER WEIGHT:**
396.83 LBS / 180 KGS

FITNESS EQUIPMENT


SKELCORE



## BLACK SERIES TREADMILL 5.0 - LED - 110V

MODEL NO. SK-BLK-TREAD-5.0-LED-110V

- SET UP SIZE (IN/MM): 84.45 X 37 X 63 IN / 2145 X 940 X 1600 MM
- MAX USER WEIGHT (LB/KG): 396 LBS / 180 KG
- SPEED (KPH/MPH): 0.6-13 MPH / 1-22 KPH
- SIZE OF MOTOR: 5 HP AC (3HP CONT. POWER)
- ELEVATION RANGE: -3%-15% LEVELS
- SCREEN TYPE: 21.5 IN LED
- SCREEN FEATURES: WIRELESS CHARGER, BLUETOOTH MUSIC, BLUETOOTH APP (KINOMAP & ZWIFT).
- QUICK SPEED (MHP/KPH): 1,3,5,7, 9,11,13,15 MPH / 2,6,8,10,12,14, 18,20 KPH
- QUICK INCLINE: 1,3,5,7,9,11,13,15%
- UNIT WEIGHT: 380LB / 173 KG
- VOLTAGE: 110V



**MUSCLE GROUP**

**SET UP SIZE:**
84.45 X 37 X 63 IN
(2145 X 940 X 1600 MM)

**MAX USER WEIGHT:**
380 LBS / 173 KG



## BLACK SERIES TREADMILL 5.0 - LED - 220V

MODEL NO. SK-BLK-TREAD-5.0-LED-220V

- SET UP SIZE (IN/MM): 84.45 X 37 X 63 IN / 2145 X 940 X 1600 MM
- MAX USER WEIGHT (LB/KG): 396 LBS / 180 KG
- SPEED (KPH/MPH): 0.6-13 MPH / 1-22 KPH
- SIZE OF MOTOR: 5 HP AC (3HP CONT. POWER)
- ELEVATION RANGE: -3%-15% LEVELS
- SCREEN TYPE: 21.5 IN LED
- SCREEN FEATURES: WIRELESS CHARGER, BLUETOOTH MUSIC, BLUETOOTH APP (KINOMAP & ZWIFT).
- QUICK SPEED (MHP/KPH): 1,3,5,7, 9,11,13,15 MPH / 2,6,8,10,12,14, 18,20 KPH
- QUICK INCLINE: 1,3,5,7,9,11,13,15%
- UNIT WEIGHT: 380LB / 173 KG
- VOLTAGE: 110V



**MUSCLE GROUP**

**SET UP SIZE:**
84.45 X 37 X 63 IN
(2145 X 940 X 1600 MM)

**MAX USER WEIGHT:**
380 LBS / 173 KG



## BLACK SERIES TREADMILL 5.0 - TFT SCREEN - 110V

MODEL NO. SK-BLK-TREAD-5.0-TFT-110V

- SET UP SIZE (IN/MM): 84.45 X 37 X 63 IN / 2145 X 940 X 1600 MM
- MAX USER WEIGHT (LB/KG): 396 LBS / 180 KG
- SPEED (KPH/MPH): 0.6-13 MPH / 1-22 KPH
- SIZE OF MOTOR: 5 HP AC (3HP CONT. POWER)
- ELEVATION RANGE: -3%-15% LEVELS
- SCREEN TYPE: 21.5INCH MIRROR FUNCTION AND GOOGLE CHROME CAST INCLUDED
- SCREEN FEATURES: WIRELESS CHARGER, BLUETOOTH MUSIC, BLUETOOTH APP (KINOMAP & ZWIFT).
- QUICK SPEED (MHP/KPH): 1,3,5,7, 9,11,13,15 MPH / 2,6,8,10,12, 14,18,20 KPH
- QUICK INCLINE: 1,3,5,7,9,11,13,15%
- UNIT WEIGHT: 380LB / 173 KG
- VOLTAGE: 110V



**MUSCLE GROUP**

**SET UP SIZE:**
84.45 X 37 X 63 IN
(2145 X 940 X 1600 MM)

**MAX USER WEIGHT:**
380 LB / 173 KG



## BLACK SERIES TREADMILL 5.0 - TFT SCREEN 220V

MODEL NO. SK-BLK-TREAD-5.0-TFT-220V

- SET UP SIZE (IN/MM): 84.45 X 37 X 63 IN / 2145 X 940 X 1600 MM
- MAX USER WEIGHT (LB/KG): 396 LBS / 180 KG
- SPEED (KPH/MPH): 0.6-13 MPH / 1-22 KPH
- SIZE OF MOTOR: 5 HP AC (3HP CONT. POWER)
- ELEVATION RANGE: -3%-15% LEVELS
- SCREEN TYPE: 21.5INCH MIRROR FUNCTION AND GOOGLE CHROME CAST INCLUDED
- SCREEN FEATURES: WIRELESS CHARGER, BLUETOOTH MUSIC, BLUETOOTH APP (KINOMAP & ZWIFT).
- QUICK SPEED (MHP/KPH): 1,3,5,7, 9,11,13,15 MPH / 2,6,8,10,12, 14,18,20 KPH
- QUICK INCLINE: 1,3,5,7,9,11,13,15%
- UNIT WEIGHT: 380LB / 173 KG
- VOLTAGE: 110V



**MUSCLE GROUP**

**SET UP SIZE:**
84.45 X 37 X 63 IN
(2145 X 940 X 1600 MM)

**MAX USER WEIGHT:**
380 LB / 173 KG

FITNESS EQUIPMENT

SKELCORE


# BLACK SERIES TREADMILL 6.0 - LED - 110V

SK-BLK-TREAD-6.0-LED-110V



- SET UP SIZE (IN/MM): 83.01 X 8.98 X 64.96 IN / 2110 X 990 X 1650 MM
- MAX USER WEIGHT (LB/KG): 396 LBS / 180 KG
- SPEED (KPH/MPH): 0.6-15.5 MPH / 1-25 KPH
- SIZE OF MOTOR: 6 HP AC (4HP CONT. POWER)
- ELEVATION RANGE: 0-15% LEVELS
- SCREEN TYPE: 21.5 IN LED
- SCREEN FEATURES: WIRELESS CHARGER, FAN, BLUETOOTH MUSIC, BLUETOOTH APP (KINOMAP & ZWIFT).
- QUICK SPEED (MHP/KPH): 1,3,5,7, 9,11,13,15 MPH / 3,6,9,12,15,18, 21,23,25 KPH
- QUICK INCLINE: 1,3,5,7,9,11,13,15%
- SIDE RAIL MATERIAL: EXTRUDED ALUMINIUM
- LIGHTING: LED ON SIDE RAIL & HAND RAIL
- UNIT WEIGHT: 480LB / 218 KG





**MUSCLE GROUP**

**SET UP SIZE:**
83.01 X 8.98 X 64.96 IN
(2110 X 990 X 1650 MM)

**MAX USER WEIGHT:**
480 LBS / 218 KG


# BLACK SERIES TREADMILL 6.0 - LED - 220V

SK-BLK-TREAD-6.0-LED-220V



- SET UP SIZE (IN/MM): 83.01 X 8.98 X 64.96 IN / 2110 X 990 X 1650 MM
- MAX USER WEIGHT (LB/KG): 396 LBS / 180 KG
- SPEED (KPH/MPH): 0.6-15.5 MPH / 1-25 KPH
- SIZE OF MOTOR: 6 HP AC (4HP CONT. POWER)
- ELEVATION RANGE: 0-15% LEVELS
- SCREEN TYPE: 21.5 IN LED
- SCREEN FEATURES: WIRELESS CHARGER, FAN, BLUETOOTH MUSIC, BLUETOOTH APP (KINOMAP & ZWIFT).
- QUICK SPEED (MHP/KPH): 1,3,5,7, 9,11,13,15 MPH / 3,6,9,12,15,18, 21,23,25 KPH
- QUICK INCLINE: 1,3,5,7,9,11,13,15%
- SIDE RAIL MATERIAL: EXTRUDED ALUMINIUM
- LIGHTING: LED ON SIDE RAIL & HAND RAIL
- UNIT WEIGHT: 480LB / 218 KG





**MUSCLE GROUP**

**SET UP SIZE:**
83.01 X 8.98 X 64.96 IN
(2110 X 990 X 1650 MM)

**MAX USER WEIGHT:**
480 LBS / 218 KG


# BLACK SERIES TREADMILL 6.0- TFT SCREEN - 110V

MODEL NO. SK-BLK-TREAD-6.0-TFT-110V



- SET UP SIZE (IN/MM): 83.01 X 38.98 X 64.96 IN / 2110 X 990 X 1650 MM
- MAX USER WEIGHT (LB/KG): 396 LBS / 180 KG
- SPEED (KPH/MPH): 0.6-15.5 MPH / 1-25 KPH
- SIZE OF MOTOR: 6 HP AC (4HP CONT. POWER)
- ELEVATION RANGE: 0-15% LEVELS
- SCREEN TYPE: 21.5 IN MIRROR FUNCTION AND GOOGLE CHROME CAST INCLUDED
- SCREEN FEATURES: WIRELESS CHARGER, FAN, BLUETOOTH MUSIC, BLUETOOTH APP (KINOMAP & ZWIFT).
- QUICK SPEED (MHP/KPH): 1,3,5,7, 9,11,13,15 MPH / 3,6,9,12,15,18, 21,23,25 KPH
- QUICK INCLINE: 1,3,5,7,9,11,13,15%
- SIDE RAIL MATERIAL: EXTRUDED ALUMINIUM
- LIGHTING: LED ON SIDE RAIL & HAND RAIL
- UNIT WEIGHT: 480LB / 218 KG
- VOLTAGE: 110V





**MUSCLE GROUP**

**SET UP SIZE:**
83.01 X 38.98 X 64.96 IN
(2110 X 990 X 1650 MM)

**MAX USER WEIGHT:**
440 LBS / 218 KG


# BLACK SERIES TREADMILL 6.0- TFT SCREEN - 220V

MODEL NO. SK-BLK-TREAD-6.0-TFT-220V



- SET UP SIZE (IN/MM): 83.01 X 38.98 X 64.96 IN / 2110 X 990 X 1650 MM
- MAX USER WEIGHT (LB/KG): 396 LBS / 180 KG
- SPEED (KPH/MPH): 0.6-15.5 MPH / 1-25 KPH
- SIZE OF MOTOR: 6 HP AC (4HP CONT. POWER)
- ELEVATION RANGE: 0-15% LEVELS
- SCREEN TYPE: 21.5 IN MIRROR FUNCTION AND GOOGLE CHROME CAST INCLUDED
- SCREEN FEATURES: WIRELESS CHARGER, FAN, BLUETOOTH MUSIC, BLUETOOTH APP (KINOMAP & ZWIFT).
- QUICK SPEED (MHP/KPH): 1,3,5,7, 9,11,13,15 MPH / 3,6,9,12,15,18, 21,23,25 KPH
- QUICK INCLINE: 1,3,5,7,9,11,13,15%
- SIDE RAIL MATERIAL: EXTRUDED ALUMINIUM
- LIGHTING: LED ON SIDE RAIL & HAND RAIL
- UNIT WEIGHT: 480LB / 218 KG
- VOLTAGE: 110V





**MUSCLE GROUP**

**SET UP SIZE:**
83.01 X 38.98 X 64.96 IN
(2110 X 990 X 1650 MM)

**MAX USER WEIGHT:**
440 LBS / 218 KG

FITNESS EQUIPMENT

SKELCORE


# BLACK SERIES ELLIPTICAL PRO



MODEL NO. SK-BLK-ELIP-PRO

- SET UP SIZE (IN/MM): 75.60 X 35.83 X 71.65 IN / 1920 X 910 X 1820 MM
- MAX USER WEIGHT (LB/KG): 396 LB / 180 KG
- DRIVE SYSTEM: 250W SELF-GENERATOR / EMS (25LB/10.8KG)
- RESISTANCE LEVELS: 32 LEVELS (ELECTROMAGNETIC)
- CONSOLE: 15.6 IN. LED
- CONSOLE FUNCTIONS: TIME, PULSE, SPEED, RPM, DISTANCE, CALORIES, RECOVERY, RESET, BODYFAT





**MUSCLE GROUP**

**SET UP SIZE:**
75.60 X 35.83 X 71.65 IN
(1920 X 910 X 1820 MM)

**MAX USER WEIGHT:**
396 LB / 180 KG


# BLACK SERIES ELLIPTICAL - TFT



MODEL NO. SK-BLK-ELIP-TFT

- SET UP SIZE (IN/MM): 74.80 X 33.47 X 69.30 IN / 1900 X 850 X 1760 MM
- MAX USER WEIGHT (LB/KG): 350 LB / 160KG
- DRIVE SYSTEM: 250W SELF-GENERATOR / EMS (25LB/10.8KG)
- RESISTANCE LEVELS: 32 LEVELS (ELECTROMAGNETIC)
- CONSOLE: 15.6 IN. TFT
- CONSOLE FUNCTIONS: TIME, PULSE, SPEED, RPM, DISTANCE, CALORIES, RECOVERY, RESET, BODYFAT





**MUSCLE GROUP**

**SET UP SIZE:**
74.80 X 33.47 X 69.30 IN
(1900 X 850 X 1760 MM)

**MAX USER WEIGHT:**
350 LB / 160KG


# BLACK SERIES ELLIPTICAL



MODEL NO. SK-BLK-ELIP

- SET UP SIZE (IN/MM): 74.80 X 33.47 X 69.30 IN / 1900 X 850 X 1760 MM
- MAX USER WEIGHT (LB/KG): 350 LB / 160KG
- DRIVE SYSTEM: 250W SELF-GENERATOR / EMS (25LB/10.8KG)
- RESISTANCE LEVELS: 32 LEVELS (ELECTROMAGNETIC)
- CONSOLE: 15.6 IN. LED
- CONSOLE FUNCTIONS: TIME, PULSE, SPEED, RPM, DISTANCE, CALORIES, RECOVERY, RESET, BODYFAT





**MUSCLE GROUP**

**SET UP SIZE:**
74.80 X 33.47 X 69.30 IN
(1900 X 850 X 1760 MM)

**MAX USER WEIGHT:**
350 LB / 160KG

# BLACK SERIES ELLIPTICAL - TFT



MODEL NO. SK-BLK-ELIP-TFT

- SET UP SIZE (IN/MM): 74.80 X 33.47 X 69.30 IN / 1900 X 850 X 1760 MM
- MAX USER WEIGHT (LB/KG): 350 LB / 160KG
- DRIVE SYSTEM: 250W SELF-GENERATOR / EMS (25LB/10.8KG)
- RESISTANCE LEVELS: 32 LEVELS (ELECTROMAGNETIC)
- CONSOLE: 15.6 IN. TFT
- CONSOLE FUNCTIONS: TIME, PULSE, SPEED, RPM, DISTANCE, CALORIES, RECOVERY, RESET, BODYFAT





**MUSCLE GROUP**

**SET UP SIZE:**
74.80 X 33.47 X 69.30 IN
(1900 X 850 X 1760 MM)

**MAX USER WEIGHT:**
350 LB / 160KG

FITNESS EQUIPMENT

SKELCORE

# BLACK SERIES STEPPER



MODEL NO. SK-BLK-STEP

- SET UP SIZE (IN/MM): 63.00 X 33.46 X 68.11 IN / 1600 X 850 X 1730 MM
- MAX USER WEIGHT (LB/KG): 350 LB / 160KG
- DRIVE SYSTEM: 250W SELF-GENERATOR / EMS (25LB/10.8KG)
- RESISTANCE LEVELS: 32 LEVELS (ELECTROMAGNETIC)
- CONSOLE: 15.6 IN. LED
- CONSOLE FUNCTIONS: TIME, PULSE, SPEED, RPM, DISTANCE, CALORIES, RECOVERY, RESET, BODYFAT





**MUSCLE GROUP**

**SET UP SIZE:**
63.00 X 33.46 X 68.11 IN
(1600 X 850 X 1730 MM)

**MAX USER WEIGHT:**
350 LB / 160KG


# BLACK SERIES STEPPER - TFT



MODEL NO. SK-BLK-STEP-TFT

- SET UP SIZE (IN/MM): 63.00 X 33.46 X 68.11 IN / 1600 X 850 X 1730 MM
- MAX USER WEIGHT (LB/KG): 350 LB / 160KG
- DRIVE SYSTEM: 250W SELF-GENERATOR / EMS (25LB/10.8KG)
- RESISTANCE LEVELS: 32 LEVELS (ELECTROMAGNETIC)
- CONSOLE: 15.6 IN. TFT
- CONSOLE FUNCTIONS: TIME, PULSE, SPEED, RPM, DISTANCE, CALORIES, RECOVERY, RESET, BODYFAT





**MUSCLE GROUP**

**SET UP SIZE:**
63.00 X 33.46 X 68.11 IN
(1600 X 850 X 1730 MM)

**MAX USER WEIGHT:**
350 LB / 160KG


# BLACK SERIES UPRIGHT BIKE



MODEL NO. SK-BLK-UB

- SET UP SIZE (IN/MM): 53.14 X 22.83 X 56.70 IN / 1350 X 580 X 1440 MM
- MAX USER WEIGHT (LB/KG): 396 LB / 180KG
- DRIVE SYSTEM: 250W SELF-GENERATOR / EMS (28LB/11.5KG)
- RESISTANCE LEVELS: 32 LEVELS (ELECTROMAGNETIC)
- CONSOLE: 15.6 IN. LED
- CONSOLE FUNCTIONS: TIME, PULSE, SPEED, RPM, DISTANCE, CALORIES, RECOVERY, RESET, BODYFAT





**MUSCLE GROUP**

**SET UP SIZE:**
53.14 X 22.83 X 56.70 IN
(1350 X 580 X 1440 MM)

**MAX USER WEIGHT:**
396 LB / 180KG


# BLACK SERIES UPRIGHT BIKE - TFT



MODEL NO. SK-BLK-UB-TFT

- SET UP SIZE (IN/MM): 53.14 X 22.83 X 56.70 IN / 1350 X 580 X 1440 MM
- MAX USER WEIGHT (LB/KG): 396 LB / 180KG
- DRIVE SYSTEM: 250W SELF-GENERATOR / EMS (28LB/11.5KG)
- RESISTANCE LEVELS: 32 LEVELS (ELECTROMAGNETIC)
- CONSOLE: 15.6 IN. TFT
- CONSOLE FUNCTIONS: TIME, PULSE, SPEED, RPM, DISTANCE, CALORIES, RECOVERY, RESET, BODYFAT





**MUSCLE GROUP**

**SET UP SIZE:**
53.14 X 22.83 X 56.70 IN
(1350 X 580 X 1440 MM)

**MAX USER WEIGHT:**
396 LB / 180KG

FITNESS EQUIPMENT


SKELCORE

# BLACK SERIES
# RECUMBENT BIKE



MODEL NO. SK-BLK-RB

- SET UP SIZE (IN/MM): 65.55 X 25.99 X 51.97 IN/ 1665 X 660 X 1320 MM
- MAX USER WEIGHT (LB/KG): 396 LB / 180KG
- DRIVE SYSTEM: 250W SELF-GENERATOR / EMS (28LB/11.5KG)
- RESISTANCE LEVELS: 32 LEVELS (ELECTROMAGNETIC)
- CONSOLE: 15.6 IN. LED
- CONSOLE FUNCTIONS: TIME, PULSE, SPEED, RPM, DISTANCE, CALORIES, RECOVERY, RESET, BODYFAT




**MUSCLE GROUP**

**SET UP SIZE:**
65.55 X 25.99 X 51.97 IN
(1665 X 660 X 1320 MM)

**MAX USER WEIGHT:**
396 LB / 180KG

# BLACK SERIES
# RECUMBENT BIKE - TFT



MODEL NO. SK-BLK-RB-TFT

- SET UP SIZE (IN/MM): 65.55 X 25.99 X 51.97 IN/ 1665 X 660 X 1320 MM
- MAX USER WEIGHT (LB/KG): 396 LB / 180KG
- DRIVE SYSTEM: 250W SELF-GENERATOR / EMS (28LB/11.5KG)
- RESISTANCE LEVELS: 32 LEVELS (ELECTROMAGNETIC)
- CONSOLE: 15.6 IN. TFT
- CONSOLE FUNCTIONS: TIME, PULSE, SPEED, RPM, DISTANCE, CALORIES, RECOVERY, RESET, BODYFAT



**MUSCLE GROUP**

**SET UP SIZE:**
65.55 X 25.99 X 51.97 IN
(1665 X 660 X 1320 MM)

**MAX USER WEIGHT:**
396 LB / 180KG

FITNESS EQUIPMENT

SKELCORE




# HIIT SERIES
# CARDIO

SKELCORE

# KEY HIGHLIGHTS



AIR RESISTANCE



LCD CONSOLE AND PHONE HOLDER



HEAVY-DUTY STEEL CONSTRUCTION



MOULDED THICK PADDED SEAT



SKELCORE

FITNESS EQUIPMENT

## SKELCORE CURVED RUNNER 3.0



MODEL NO. SK-CRUN3.0

- SET UP SIZE - 67.33 X 31.89 X 66.93 IN /1710 X 860 X 1700MM
- RUNNING BELT SIZE - 62.99 X 18.90 IN / 1600 X 480MM
- MAGNETIC TENSION
- TWO WHEELS FOR EASY TRANSPORTATION
- MAX USER WEIGHT - 440LBS / 200KG
- INCLUDES:
- - ADDITIONAL FRONT HANDLEBARS
- - WATER BOTTLE HOLDER
- - MOBILE PHONE REST
- - RESISTANCE FUNCITON FOR SLED WORK
- - LCD CONSOLE DISPLAY FUNCTIONS:
- TOTAL TIME, TIME, DISTANCE, CALORIES, WATT, RESISTANCE, PACE, SPEED, PULSE
- PROGRAMS: 3 INTERVALS, TARGET TIME/ DISTANCE/ CALORIES/ HEART RATE



**MUSCLE GROUP**

**SET UP SIZE:**
67.33 X 31.89 X 66.93 IN
(1710 X 860 X 1700MM)


**MAX USER WEIGHT:**
440LBS / 200KG

## COMBAT BIKE 2.0



MODEL NO. SK-COMBB2.0

- CONSOLE FUNCTIONS: WINDOW DISPLAY: RPM, SPEED, TIME, DISTANCE, CALORIES, WATT, PULSE.
- PROGRAMS: HRC, 3 INTERVAL (20/10, 10/20, CUSTOM SETTINGS) ,5 PRESET TARGET FUNCTIONS (TIME, DISTANCE, CALORIES, 80% MAX. HEART RATE ZONE & 65% MAX. HEART RATE ZONE)
- BLUETOOTH APP: iCONSOLE, KINOMAP, ZWIFT
- 2 FRONT FOOT PEGS TO REST FEET DURING UPPER BODY ONLY USE OF THE MACHINE
- 3 PC CRANK
- FAN SYSTEM
- AIR RESISTANCE
- VERTICALLY AND HORIZONTALLY ADJUSTABLE SEAT
- DRIVE SYSTEM: SINGLE-STAGE BELT DRIVE/ HIGH STRENGTH FAN
- THICK MOLDED SEAT MADE FROM PU FOAM
- WATER BOTTLE HOLDER
- SMARTPHONE HOLDER
- INCLUDES 2 WHEELS AND A HANDLE FOR EASY MANEUVERABILITY OF THE MACHINE AROUND YOUR FACILITY



**MUSCLE GROUP**

**SET UP SIZE:**
48.2 X 21.7 X 47.2 IN
(1225 X 550 X 1200 MM)


**MAX USER WEIGHT:**
350 LBS / 160 KG

## SKI TRAINER



MODEL NO. SK-SKITRA001

- SET UP SIZE: 50 X 23 X 86 IN (1260 X 590 X 2186 MM)
- STROKE/RATE, TIME, TIME / 500M AVG, WATTS AVG, PULSE,
- CALORIE/HOUR, TIME / 500M, DISTANCE, DISTANCE / 30MIN, CYCLE, WATTS, 7 PROGRAMS
- BACK/DOWN/SELECT/UP/ENTER/STOP BUTTONS
- LONG LASTING BACKLIGHT
- MEMBRANE ON TOP OF SCREEN FOR PROTECTION
- 9 AIR RESISTANCE LEVELS
- FAN SYSTEM
- SMARTPHONE HOLDER



**MUSCLE GROUP**

**SET UP SIZE:**
50 X 23 X 86 IN
(1260 X 590 X 2186 MM)


## AIR ROWER



MODEL NO. SK-AIRROW001

- SET-UP SIZE - 94 X 24.4 X 42.1 IN (2400 X 620 X 1070 MM)
- 9 ADJUSTABLE RESISTANCE LEVELS
- MOULDED THICK PADDED SEAT WITH PU FOAM
- CONSOLE FUNCTIONS: STROKES/MIN, PULSE, TIME, WATTS, CALORIE/HR, TIME / 500 M, TIME AVG, DISTANCE, WATTS AVG, CYCLE, SELECT, ENTER/STOP, BACK
- 1 PC CYCLE CHAIN
- FAN SYSTEM
- AIR RESISTANCE
- SMARTPHONE HOLDER





**MUSCLE GROUP**

**SET UP SIZE:**
87 X 28.7 X 65.4 IN
(2210 X 730 X 1660 MM)

**MAX USER WEIGHT:**
297 LBS / 135 KG


SKELCORE



## FAN BIKE

MODEL NO. SK-AIRBIKE001

- SET-UP SIZE: 54.3 X 24 X 53 IN 1380 X 610 X 1350 MM
- ADJUSTABLE HANDLEBAR HEIGHT: 33 - 43.7 IN (840 - 1110 MM)
- ADJUSTABLE SEAT HEIGHT: 34.6 X 42.9 IN (880-1090 MM)
- 9 SECTIONS OF ADJUSTABLE RESISTANCE
- MOULDED THICK PADDED SEAT WITH PU FOAM
- CONSOLE FUNCTIONS: RPM, HEART RATE, TIME, CALORIES, CAL / HR, DRAG, LEVEL, REST TIME, TIME, AVG, DIST., DIST. / 30 MIN, CYCLE, WATTS, WATTS / AVG, BLUETOOTH
- 3 PC CRANK
- FAN SYSTEM
- AIR RESISTANCE
- SMARTPHONE HOLDER
- INCLUDES 2 WHEELS AND EASY GRIP HANDLE FOR EASY TRANSPORTATION



**MUSCLE GROUP**

**SET UP SIZE:**
54.3 X 24 X 53 IN
(1380 X 610 X 1350 MM)


**MAX USER WEIGHT:**
350 LBS / 160 KG



## TRINITY SPINNING BIKE

MODEL NO. SK-TRIN-SPINBIKE

- SET UP SIZE (IN/MM): 45.67 X 24.80 X 44.49 IN / 1160 X 630 X 1130 MM
- MAX USER WEIGHT (LB/KG): 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 2.5 MM
- RESISTANCE TYPE: MAGNETIC
- LEVELS OF RESISTANCE: 1-32



**MUSCLE GROUP**

**SET UP SIZE:**
45.67 X 24.80 X 44.49 IN
(1160 X 630 X 1130 MM)

**MAX USER WEIGHT:**
330 LBS / 150 KG




## HYBRID URETHANE DUMBBELL

SK-HYBRID-URETHANE-DB

| |
|---|
| SK-HYBRID-URETHANE-DB-5KG |
| SK-HYBRID-URETHANE-DB-7.5KG |
| SK-HYBRID-URETHANE-DB-10KG |
| SK-HYBRID-URETHANE-DB-12.5KG |
| SK-HYBRID-URETHANE-DB-15KG |
| SK-HYBRID-URETHANE-DB-17.5KG |
| SK-HYBRID-URETHANE-DB-20KG |
| SK-HYBRID-URETHANE-DB-22.5KG |
| SK-HYBRID-URETHANE-DB-25KG |




## HYBRID STEEL KETTLEBELL

MODEL NO. SK-KETHYB

| |
|---|
| SK-KETHYB-12KG |
| SK-KETHYB-16KG |
| SK-KETHYB-24KG |
| SK-KETHYB-32KG |
| SK-KETHYB-52KG |

FITNESS EQUIPMENT

SKELCORE

## HYBRID INTERLOCKING URETHANE PLATE



MODEL NO. SK-HYB-ILBP-BLK

| |
|---|
| SK-HYB-ILBP-BLK-2KG |
| SK-HYB-ILBP-BLK-5KG |
| SK-HYB-ILBP-BLK-25KG |

## HYBRID INTERLOCKING URETHANE PLATE



MODEL NO. SK-HYB-ILBP-PINK

| |
|---|
| SK-HYB-ILBP-PINK-2KG |
| SK-HYB-ILBP-PINK-5KG |
| SK-HYB-ILBP-PINK-25KG |

## HYBRID WALL BALL




MODEL NO. SK-WB

| |
|---|
| SK-WB-2KG |
| SK-WB-4KG |
| SK-WB-6KG |
| SK-WB-9KG |
| SK-WB-12KG |

## HYBRID SAND BAG




MODEL NO. SK-HYB-SBAG

| |
|---|
| SK-HYB-SBAG-10KG |
| SK-HYB-SBAG-20KG |
| SK-HYB-SBAG-30KG |

FITNESS EQUIPMENT

SKELCORE




## HYBRID POWER ROPE

MODEL NO. SK-POWERROPE


- MATERIAL: POLYESTER FIBRE
- LENGTH: 15 M
- DIAMETER: 38 MM




## HYBRID SLED

MODEL NO. SK-POWERSLDPRO

- NET WEIGHT: 50 KG
- ASSEMBLY SIZE:102.1 X 60 X 100 CM



## HYBRID WALL BALL TARGETWITH RIG MOUNT INCLUDED

MODEL NO. SK-HYB-WBT

- SIZE: 225 X 600 MM
- WITH 3 LAYERS OF BOARD

FITNESS EQUIPMENT

SKELCORE




# STORAGE

SKELCORE

# KEY HIGHLIGHTS



100 KG X 6 / 220 LB X 6
MAX LOAD WEIGHT



CABLE AND ACCESSORY STORAGE



CAN STORE MULTIPLE
DUMBBELL SHAPES



HEAVY DUTY OPTIONS



SKELCORE

# PLATE TREE

MODEL NO. SK-WRK-01

- SET UP SIZE (IN/MM): 31.18 X 33.94 X 37.01 IN / 792 X 862 X 940 MM
- MAX LOAD WEIGHT: 100 KG X 6 / 220 LB X 6
- STEEL THICKNESS (IN/MM): ALL STRUCTURES: 0.12IN / 3.0 MM



**SET UP SIZE:**
31.18 X 33.94 X 37.01 IN
(792 X 862 X 940 MM)

**MAX LOAD WEIGHT:**
100 KG X 6 / 220 LB X 6

# DUMBBELL RACK 2-10

MODEL NO. SK-WRK-02

- SET UP SIZE (IN/MM): 98.23 X 29.84 X 22.80 IN / 2495 X 758 X 579 MM
- MAX LOAD WEIGHT: 600 KG / 1323 LB
- STEEL THICKNESS (IN/MM): ALL STRUCTURES: 0.12IN / 3.0 MM
- CAN STORE MULTIPLE DUMBBELL SHAPE TYPES: YES



**SET UP SIZE:**
98.23 X 29.84 X 22.80 IN
(2495 X 758 X 579 MM)

**MAX LOAD WEIGHT:**
600 KG / 1323 LB

# HEAVY DUTY DUMBBELL RACK 2-10

MODEL NO. SK-WRK-02-HD

- SET UP SIZE (IN/MM): 98.23 X 29.84 X 22.80 IN / 2495 X 758 X 579 MM
- MAX LOAD WEIGHT: 600 KG / 1323 LB
- STEEL THICKNESS (IN/MM): ALL STRUCTURES: 0.12IN / 3.0 MM
- CAN STORE MULTIPLE DUMBBELL SHAPE TYPES: YES



**SET UP SIZE:**
98.23 X 29.84 X 22.80 IN
(2495 X 758 X 579 MM)

**MAX LOAD WEIGHT:**
600 KG / 1323 LB

# DUMBBELL RACK 3-15

MODEL NO. SK-WRK-03

- SET UP SIZE (IN/MM): 98.23 X 27.91 X 40.79 IN / 2495 X 709 X 1036 MM
- MAX LOAD WEIGHT: TOTAL MAX LOAD: 930 KG / 2050 LB
- STEEL THICKNESS (IN/MM): ALL STRUCTURES: 0.12IN / 3.0 MM
- CAN STORE MULTIPLE DUMBBELL SHAPE TYPES: YES



**SET UP SIZE:**
98.23 X 27.91 X 40.79 IN
(2495 X 709 X 1036 MM)

**MAX LOAD WEIGHT:**
930 KG / 2050 LB

# ACCESSORY RACK

MODEL NO. SK-WRK-04

- SET UP SIZE (IN/MM): 27.56 X 37.01 X 44.09 IN / 700 X 940 X 1120 MM
- STEEL TUBE THICKNESS: 3MM
- SUITABLE USAGE: CABLE ATTACHMENT AND ACCESSORIES STORAGE




**SET UP SIZE:**
27.56 X 37.01 X 44.09 IN
(700 X 940 X 1120 MM)

FITNESS EQUIPMENT
SKELCORE