



SKELCORE

USA HOSPITALITY RANGE

AUGUST 2026

SKELCORE HOSPITALITY RANGE

PACKAGE 1

49m² / 527 ft²

- Black Series Upright Bike
- Trinity Spinning Bike
- Black Series Recumbent Bike
- Black Series Elliptical Pro
- Black Series Treadmill 5.0
- Mountain 50 Pro
- Multi Functional Smith Machine
- 2 X Adjustable Bench
- 2 / 3 Tier Weight Rack
- Hex / CPU / Chromed Dumbbells
- Chromed / Rubber Weight Plates

PACKAGE 2

81m² / 872 ft²

- Black Series Upright Bike
- Trinity Spinning Bike
- Black Series Recumbent Bike
- Black Series Elliptical Pro
- Commercial Stair Mill - LED
- 2 X Black Series Treadmill 5.0
- Mountain 50 Pro
- Multi Functional Smith Machine
- 3 X Adjustable Bench
- 2 / 3 Tier Weight Rack
- Hex / CPU / Chromed Dumbbells
- Chromed / Rubber Weight Plates
- 4 X Pin Loaded Machines

PACKAGE 3

110m² / 1184 ft²


- 2 X Black Series Upright Bike
- Trinity Spinning Bike
- Black Series Recumbent Bike
- Black Series Elliptical Pro
- Commercial Stair Mill - LED
- 3 X Black Series Treadmill 5.0
- Mountain 50 Pro
- Dual Angle Smith Machine
- Functional Trainer
- 3 X Adjustable Bench
- 2 / 3 Tier Weight Rack
- Hex / CPU / Chromed Dumbbells
- Chromed / Rubber Weight Plates
- 6 X Pin Loaded Machines

PACKAGE 4

196m² / 2110 ft²

- 2 X Black Series Upright Bike
- Trinity Spinning Bike
- Black Series Recumbent Bike
- 2 X Black Series Elliptical Pro
- Commercial Stair Mill - LED / TFT
- 5 X Black Series Treadmill 5.0
- Mountain 50 Pro
- Dual Angle Smith Machine
- 2 X Functional Trainer
- 3 X Adjustable Bench
- 2 / 3 Tier Weight Rack
- Hex / CPU / Chromed Dumbbells
- Chromed / Rubber Weight Plates
- 9 X Pin Loaded Machines

PACKAGE 1



7000

7000

PACKAGE 1 EQUIPMENT	QTY
Black Series Upright Bike	1
Trinity Spinning Bike	1
Black Series Recumbent Bike	1
Black Series Elliptical Pro	1
Black Series Treadmill 5.0	1
Mountain 50 Pro	1
Multi Functional Smith Machine	1
Adjustable Bench	2
2 / 3 Tier Weight Rack	1
Hex / CPU / Chromed Dumbbell Set	1
Chromed / Rubber Weight Plate Set	1

49m² / 527 ft²



BLACK SERIES UPRIGHT BIKE

SK-BLK-UB

- SET UP SIZE (IN/MM): 53.14 X 22.83 X 56.70 IN / 1350 X 580 X 1440 MM
- MAX USER WEIGHT (LB/KG): 180KG
- DRIVE SYSTEM: 250W SELF-GENERATOR / EMS (28LB/11.5KG)
- RESISTANCE LEVELS: 32 LEVELS (ELECTROMAGNETIC)
- CONSOLE: 15.6 IN. LED
- CONSOLE FUNCTIONS: TIME, PULSE, SPEED, RPM, DISTANCE, CALORIES, RECOVERY, RESET, BODYFAT



53.14 X 22.83 X 56.70 IN



396 LB / 180KG



TRINITY SPINNING BIKE

SK-TRIN-SPINBIKE

- SET UP SIZE (IN/MM): 45.67 X 24.80 X 44.49 IN / 1160 X 630 X 1130 MM
- MAX USER WEIGHT (LB/KG): 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 2.5 MM
- RESISTANCE TYPE: MAGNETIC
- LEVELS OF RESISTANCE: 1-32



45.67 X 24.80 X 44.49 IN



330 LB / 150 KG



BLACK SERIES RECUMBENT BIKE

SK-BLK-RB

- SET UP SIZE (IN/MM): 65.55 X 25.99 X 51.97 IN / 1665 X 660 X 1320 MM
- MAX USER WEIGHT (LB/KG): 396 LB / 180KG
- DRIVE SYSTEM: 250W SELF-GENERATOR / EMS (28LB/11.5KG)
- RESISTANCE LEVELS: 32 LEVELS (ELECTROMAGNETIC)
- CONSOLE: 15.6 IN. LED
- CONSOLE FUNCTIONS: TIME, PULSE, SPEED, RPM, DISTANCE, CALORIES, RECOVERY, RESET, BODYFAT



65.55 X 25.99 X 51.97 IN



396 LB / 180KG



BLACK SERIES ELLIPTICAL PRO

SK-BLK-ELIP-PRO

- SET UP SIZE (IN/MM): 75.60 X 35.83 X 71.65 IN / 1920 X 910 X 1820 MM
- MAX USER WEIGHT (LB/KG): 396LB / 180KG
- DRIVE SYSTEM: 250W SELF-GENERATOR / EMS (25LB/10.8KG)
- RESISTANCE LEVELS: 32 LEVELS (ELECTROMAGNETIC)
- CONSOLE: 15.6 IN. LED
- CONSOLE FUNCTIONS: TIME, PULSE, SPEED, RPM, DISTANCE, CALORIES, RECOVERY, RESET, BODYFAT



75.60 X 35.83 X 71.65 IN



396 LB / 180KG



BLACK SERIES TREADMILL 5.0 LED

SK-BLK-TREAD-5.0-LED

- SET UP SIZE (IN/MM): 84.45 X 37 X 63 IN / 2145 X 940 X 1600 MM
- MAX USER WEIGHT (LB/KG): 396 LBS / 180 KG
- SPEED (KPH/MPH): 0.6-13 MPH / 1-22 KPH
- SIZE OF MOTOR: 5 HP AC (3HP CONT. POWER)
- ELEVATION RANGE: -3%-15% LEVELS
- RUNNING DECK SIZE: 63.00*23.67 IN / 1600*600 MM
- RUNNING BOARD AND BELT SPEC: PHENOLIC BOARD (1.1IN/28MM THICKNESS) AND TELLINGFINE PRE-LUBRICATED RUNNING BELT
- SCREEN TYPE: 21.5 IN LED
- COMPUTER FUNCTIONS: TIME, SPEED, DISTANCE, INCLINE, STEP, CALORIES, PACE, PULSE, AND PRESET WORKOUTS
- SCREEN FEATURES: WIRELESS CHARGER, BLUETOOTH MUSIC, BLUETOOTH APP (KINOMAP & ZWIFT).
- UNIT WEIGHT: 380LB / 173 KG



84.45 X 37 X 63 IN



396 LB / 180KG



MOUNTAIN 50 PRO

SK-MOUNTAIN50-PRO

- AC MOTOR : 5.0HP PEAK/2.5HP CONT.
- SPEED RANGE: 0-10MP/H (0.5-16KM/H) - 5 QUICK SPEED KEYS
- SET UP SIZE: 61 X 36 X 69IN (1545 X 920 X 1755MM)
- CONSOLE: LARGE WINDOW LED, MP3, AUDIO OUTPUT; MUSICPLAY KEYS, IPAD STAND, MODES (MANUAL +P1-12 +U1-U3)
- MOTOR INCLINE: 5-50% - 6 QUICK INCLINE KEYS
- RUNNING SURFACE: 51 X 20IN (1300 X 510MM)
- ERGONOMIC HANDRAIL FOR CLIMB TRAINING
- MAX USER WEIGHT: 330LB/150KG



61 X 36 X 69 IN



330 LB / 150 KG



MULTI FUNCTION SMITH MACHINE & HALF RACK

SK-SMTM-010

- SET UP SIZE - 86.22 X 54.72 X 88.58IN (2190 X 1390 X 2250MM)
- MAIN FRAME TUBE SIZE: 1.98 X 3.94 X 0.08IN (50 X 100 X 2MM)
- DUAL HANDLEBAR WITH 16 LEVELS OF ADJUSTMENT
- STACK: 2 X 132.28LBS = TOTAL 264.55LBS / 2 X 60KG = TOTAL 120KG
- STEEL CABLE: 4.8Ø NYLON COATED
- MAX LOADING OF CABLE: 1322.77LBS / 600KG
- PULLEY: 90Ø POM PULLEY



86.22 X 54.72 X 88.58 IN



330 LB / 150 KG



ADJUSTABLE BENCH

SK-B-13

- SET UP SIZE (IN/MM): 41 X 29 X 19 IN / 1035 X 730 X 470 MM



41 X 29 X 19 IN



DUMBBELL RACK 2 - 10

SK-WRK-02

- SET UP SIZE (IN/MM): 98.23 X 29.84 X 22.80 IN / 2495 X 758 X 579 MM
- MAX LOAD WEIGHT: 600 KG / 1323 LB
- STEEL THICKNESS (IN/MM): ALL STRUCTURES: 0.12IN / 3.0 MM
- CAN STORE MULTIPLE DUMBBELL SHAPE TYPES: YES



98.23 X 29.84 X 22.80 IN



1323 LB / 600 KG



DUMBBELL RACK 3 - 15

SK-WRK-03

- SET UP SIZE (IN/MM): 98.23 X 27.91 X 40.79 IN / 2495 X 709 X 1036 MM
- MAX LOAD WEIGHT: TOTAL MAX LOAD: 310 KG / 683 LB (SAFETY FACTOR 2.0). STORAGE TRAYS: 70 KG / 154 LB PER TIER (3 TIERS TOTAL). STORAGE PEGS: 20 KG / 44 LB PER PAIR (5 PAIRS TOTAL)
- STEEL THICKNESS (IN/MM): ALL STRUCTURES: 0.12IN / 3.0 MM



98.23 X 27.91 X 40.79 IN



683 LB / 310 KG



HEX RUBBER DUMBBELL

SK-SH002

- RUBBER MATERIAL
- CHROME HANDLE
- PARTIALLY KNURLED GRIP
- HEXAGONAL DESIGN TO PREVENT ROLLING

5 LB	Qty. 2
10 LB	Qty. 2
15 LB	Qty. 2
20 LB	Qty. 2
25 LB	Qty. 2
30 LB	Qty. 2
35 LB	Qty. 2
40 LB	Qty. 2
45 LB	Qty. 2
50 LB	Qty. 2



CPU DUMBBELL

SK-RND-CPU

- URETHANE MATERIAL
- CHROME HANDLE
- PARTIALLY KNURLED GRIP

5 LB	Qty. 2
10 LB	Qty. 2
15 LB	Qty. 2
20 LB	Qty. 2
25 LB	Qty. 2
30 LB	Qty. 2
35 LB	Qty. 2
40 LB	Qty. 2
45 LB	Qty. 2
50 LB	Qty. 2



CHROMED STEEL DUMBBELLS

SK-CHROMED-DB

- CHROMED STEEL DUMBBELL
- KNURLED GRIP
- RAISED RUBBER LOGO

5 LB	Qty. 2
10 LB	Qty. 2
15 LB	Qty. 2
20 LB	Qty. 2
25 LB	Qty. 2
30 LB	Qty. 2
35 LB	Qty. 2
40 LB	Qty. 2
45 LB	Qty. 2
50 LB	Qty. 2



OLYMPIC RUBBER WEIGHT PLATES

SK-RUBBER-OLIPLATE

- OLYMPIC STYLE PLATE MADE FROM VIRGIN RUBBER
- CHROMED STEEL INSERT
- IWF STANDARD DIAMETER
- DIAMETER OF HOLE: 2IN (51MM)

5 LB	Qty. 2
10 LB	Qty. 2
25 LB	Qty. 2
45 LB	Qty. 2




CHROMED STEEL WEIGHT PLATES WITH HANDLE

SK-CRMEWP-PLWH

- CHROMED STEEL WEIGHT PLATE
- DIAMETER CENTER HOLE: 2IN (51MM)
- THICKNESS: 0.6IN (16.2MM)

10 LB	Qty. 2
25 LB	Qty. 2
35 LB	Qty. 2
45 LB	Qty. 2

PACKAGE 2



0006

9000

PACKAGE 2 EQUIPMENT	QTY
Black Series Upright Bike	1
Trinity Spinning Bike	1
Black Series Recumbent Bike	1
Black Series Elliptical Pro	1
Commercial Stair Mill - LED	1
Black Series Treadmill 5.0	2
Mountain 50 Pro	1
Multi Functional Smith Machine	1
Adjustable Bench	3
2 / 3 Tier Weight Rack	1
Hex / CPU / Chromed Dumbbell Set	1
Chromed / Rubber Weight Plate Set	1
Apex Pin Loaded Leg Press	1
Apex Pin Loaded Leg Extension / Leg Curl	1
Apex Pin Loaded Multi Press	1
Apex Pin Loaded Lat Pull / Seated Row	1

81m² / 872 ft²



BLACK SERIES UPRIGHT BIKE

SK-BLK-UB

- SET UP SIZE (IN/MM): 53.14 X 22.83 X 56.70 IN / 1350 X 580 X 1440 MM
- MAX USER WEIGHT (LB/KG): 180KG
- DRIVE SYSTEM: 250W SELF-GENERATOR / EMS (28LB/11.5KG)
- RESISTANCE LEVELS: 32 LEVELS (ELECTROMAGNETIC)
- CONSOLE: 15.6 IN. LED
- CONSOLE FUNCTIONS: TIME, PULSE, SPEED, RPM, DISTANCE, CALORIES, RECOVERY, RESET, BODYFAT



53.14 X 22.83 X 56.70 IN



396 LB / 180KG



TRINITY SPINNING BIKE

SK-TRIN-SPINBIKE

- SET UP SIZE (IN/MM): 45.67 X 24.80 X 44.49 IN / 1160 X 630 X 1130 MM
- MAX USER WEIGHT (LB/KG): 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 2.5 MM
- RESISTANCE TYPE: MAGNETIC
- LEVELS OF RESISTANCE: 1-32



45.67 X 24.80 X 44.49 IN



330 LB / 150 KG



BLACK SERIES RECUMBENT BIKE

SK-BLK-RB

- SET UP SIZE (IN/MM): 65.55 X 25.99 X 51.97 IN / 1665 X 660 X 1320 MM
- MAX USER WEIGHT (LB/KG): 396 LB / 180KG
- DRIVE SYSTEM: 250W SELF-GENERATOR / EMS (28LB/11.5KG)
- RESISTANCE LEVELS: 32 LEVELS (ELECTROMAGNETIC)
- CONSOLE: 15.6 IN. LED
- CONSOLE FUNCTIONS: TIME, PULSE, SPEED, RPM, DISTANCE, CALORIES, RECOVERY, RESET, BODYFAT



65.55 X 25.99 X 51.97 IN



396 LB / 180KG



BLACK SERIES ELLIPTICAL PRO

SK-BLK-ELIP-PRO

- SET UP SIZE (IN/MM): 75.60 X 35.83 X 71.65 IN / 1920 X 910 X 1820 MM
- MAX USER WEIGHT (LB/KG): 396LB / 180KG
- DRIVE SYSTEM: 250W SELF-GENERATOR / EMS (25LB/10.8KG)
- RESISTANCE LEVELS: 32 LEVELS (ELECTROMAGNETIC)
- CONSOLE: 15.6 IN. LED
- CONSOLE FUNCTIONS: TIME, PULSE, SPEED, RPM, DISTANCE, CALORIES, RECOVERY, RESET, BODYFAT



75.60 X 35.83 X 71.65 IN



396 LB / 180KG



COMMERCIAL STAIR MILL - LED MONITOR

SK-SC-01

- SET UP SIZE (IN/MM): 64.96 X 31.10 X 89.96 IN / 1650 X 790 X 2285 MM
- STEP SIZE (IN/MM): 19.69 X 10.24 X 7.20 IN / 500 X 260 X 183 MM
- MAX USER WEIGHT: 352.74 LBS / 160 KGS
- SCREEN TYPE: LED
- SPEED RANGE: 15 LEVELS / 14-160 PACE/MIN
- EFFECTIVE STEP: 3
- TOTAL STEPS: 8
- LED FUNCTIONS: 36 PRE-SET PROGRAMS, 3 USER MANUAL AND 1 MANUAL, WIRELESS CHARGER, AUTO STOP WITHOUT LOADING OR STOP IF LOADING BELOW 35±5 KGS, ANTI-ROLLING PROTECTION, CONTINUOUS LIGHT LINE ON COVER WITH RED START AND GREEN STOP.



64.96 X 31.10 X 89.96 IN



352.74 LBS / 160 KG



BLACK SERIES TREADMILL 5.0 LED

SK-BLK-TREAD-5.0-LED

- SET UP SIZE (IN/MM): 84.45 X 37 X 63 IN / 2145 X 940 X 1600 MM
- MAX USER WEIGHT (LB/KG): 396 LBS / 180 KG
- SPEED (KPH/MPH): 0.6-13 MPH / 1-22 KPH
- SIZE OF MOTOR: 5 HP AC (3HP CONT. POWER)
- ELEVATION RANGE: -3%-15% LEVELS
- RUNNING DECK SIZE: 63.00*23.67 IN / 1600*600 MM
- RUNNING BOARD AND BELT SPEC: PHENOLIC BOARD (1.1IN/28MM THICKNESS) AND TELLINGFINE PRE-LUBRICATED RUNNING BELT
- SCREEN TYPE: 21.5 IN LED
- COMPUTER FUNCTIONS: TIME, SPEED, DISTANCE, INCLINE, STEP, CALORIES, PACE, PULSE, AND PRESET WORKOUTS
- SCREEN FEATURES: WIRELESS CHARGER, BLUETOOTH MUSIC, BLUETOOTH APP (KINOMAP & ZWIFT).
- UNIT WEIGHT: 380LB / 173 KG



84.45 X 37 X 63 IN



396 LBS / 180 KG



MOUNTAIN 50 PRO

SK-MOUNTAIN50-PRO

- AC MOTOR : 5.0HP PEAK/2.5HP CONT.
- SPEED RANGE: 0-10MP/H (0.5-16KM/H) - 5 QUICK SPEED KEYS
- SET UP SIZE: 61 X 36 X 69IN (1545 X 920 X 1755MM)
- CONSOLE: LARGE WINDOW LED, MP3, AUDIO OUTPUT; MUSICPLAY KEYS, IPAD STAND, MODES (MANUAL +P1-12 +U1-U3)
- MOTOR INCLINE: 5-50% - 6 QUICK INCLINE KEYS
- RUNNING SURFACE: 51 X 20IN (1300 X 510MM)
- ERGONOMIC HANDRAIL FOR CLIMB TRAINING
- MAX USER WEIGHT: 330LB/150KG



61 X 36 X 69 IN



330 LB / 150 KG



MULTI FUNCTION SMITH MACHINE & HALF RACK

SK-SMTM-010

- SET UP SIZE - 86.22 X 54.72 X 88.58IN (2190 X 1390 X 2250MM)
- MAIN FRAME TUBE SIZE: 1.98 X 3.94 X 0.08IN (50 X 100 X 2MM)
- DUAL HANDLEBAR WITH 16 LEVELS OF ADJUSTMENT
- STACK: 2 X 132.28LBS = TOTAL 264.55LBS / 2 X 60KG = TOTAL 120KG
- STEEL CABLE: 4.8Ø NYLON COATED
- MAX LOADING OF CABLE: 1322.77LBS / 600KG
- PULLEY: 90Ø POM PULLEY



86.22 X 54.72 X 88.58 IN



330 LB / 150 KG



ADJUSTABLE BENCH

SK-B-13

- SET UP SIZE (IN/MM): 41 X 29 X 19 IN / 1035 X 730 X 470 MM



41 X 29 X 19 IN



APEX PIN LOADED LEG PRESS

SK-APEX-20

- SET UP SIZE: 44.17 X 71.06 X 72.05 IN / 1122 X 1805 X 1830 MM
- WEIGHT STACK: 140 KG / 308 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM
- PULL-PINS AND SOLID BIOMECHANICS



44.17 X 71.06 X 72.05 IN



330 LB / 150 KG



APEX PIN LOADED LEG EXTENSION / LEG CURL

SK-APEX-29

- SET UP SIZE: 41.34 X 44.49 X 59.84 IN / 1050 X 1130 X 1520 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM
- PULL-PINS AND SOLID BIOMECHANICS



41.34 X 44.49 X 59.84 IN



330 LB / 150 KG



APEX PIN LOADED MULTIPRESS

SK-APEX-03

- SET UP SIZE: 51.81 X 72.13 X 59.84 IN / 1316 X 1832 X 1520 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM
- PULL-PINS AND SOLID BIOMECHANICS



51.81 X 72.13 X 59.84 IN



330 LB / 150 KG



APEX PIN LOADED LAT PULL / SEATED ROW

SK-APEX-05

- SET UP SIZE: 37.44 X 78.27 X 84.92 IN / 951 X 1988 X 2157 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM
- PULL-PINS AND SOLID BIOMECHANICS



37.44 X 78.27 X 84.92 IN



330 LB / 150 KG



DUMBBELL RACK 2 - 10

SK-WRK-02

- SET UP SIZE (IN/MM): 98.23 X 29.84 X 22.80 IN / 2495 X 758 X 579 MM
- MAX LOAD WEIGHT: 600 KG / 1323 LB
- STEEL THICKNESS (IN/MM): ALL STRUCTURES: 0.12IN / 3.0 MM
- CAN STORE MULTIPLE DUMBBELL SHAPE TYPES: YES



98.23 X 29.84 X 22.80 IN



1323 LB / 600 KG



DUMBBELL RACK 3 - 15

SK-WRK-03

- SET UP SIZE (IN/MM): 98.23 X 27.91 X 40.79 IN / 2495 X 709 X 1036 MM
- MAX LOAD WEIGHT: TOTAL MAX LOAD: 310 KG / 683 LB (SAFETY FACTOR 2.0). STORAGE TRAYS: 70 KG / 154 LB PER TIER (3 TIERS TOTAL). STORAGE PEGS: 20 KG / 44 LB PER PAIR (5 PAIRS TOTAL)
- STEEL THICKNESS (IN/MM): ALL STRUCTURES: 0.12IN / 3.0 MM



98.23 X 27.91 X 40.79 IN



683 LB / 310 KG



HEX RUBBER DUMBBELL

SK-SH002

- RUBBER MATERIAL
- CHROME HANDLE
- PARTIALLY KNURLED GRIP
- HEXAGONAL DESIGN TO PREVENT ROLLING

5 LB	Qty. 2
10 LB	Qty. 2
15 LB	Qty. 2
20 LB	Qty. 2
25 LB	Qty. 2
30 LB	Qty. 2
35 LB	Qty. 2
40 LB	Qty. 2
45 LB	Qty. 2
50 LB	Qty. 2



CPU DUMBBELL

SK-RND-CPU

- URETHANE MATERIAL
- CHROME HANDLE
- PARTIALLY KNURLED GRIP

5 LB	Qty. 2
10 LB	Qty. 2
15 LB	Qty. 2
20 LB	Qty. 2
25 LB	Qty. 2
30 LB	Qty. 2
35 LB	Qty. 2
40 LB	Qty. 2
45 LB	Qty. 2
50 LB	Qty. 2



CHROMED STEEL DUMBBELLS

SK-CHROMED-DB

- CHROMED STEEL DUMBBELL
- KNURLED GRIP
- RAISED RUBBER LOGO

5 LB	Qty. 2
10 LB	Qty. 2
15 LB	Qty. 2
20 LB	Qty. 2
25 LB	Qty. 2
30 LB	Qty. 2
35 LB	Qty. 2
40 LB	Qty. 2
45 LB	Qty. 2
50 LB	Qty. 2



OLYMPIC RUBBER WEIGHT PLATES

SK-RUBBER-OLIPLATE

- OLYMPIC STYLE PLATE MADE FROM VIRGIN RUBBER
- CHROMED STEEL INSERT
- IWF STANDARD DIAMETER
- DIAMETER OF HOLE: 2IN (51MM)

5 LB	Qty. 2
10 LB	Qty. 2
25 LB	Qty. 2
45 LB	Qty. 2




CHROMED STEEL WEIGHT PLATES WITH HANDLE

SK-CRMEWP-PLWH

- CHROMED STEEL WEIGHT PLATE
- DIAMETER CENTER HOLE: 2IN (51MM)
- THICKNESS: 0.6IN (16.2MM)

10 LB	Qty. 2
25 LB	Qty. 2
35 LB	Qty. 2
45 LB	Qty. 2

PACKAGE 3



10000

11000

PACKAGE 3 EQUIPMENT	QTY
Black Series Upright Bike	2
Trinity Spinning Bike	1
Black Series Recumbent Bike	1
Black Series Elliptical Pro	1
Commercial Stair Mill - LED	1
Black Series Treadmill 5.0	3
Mountain 50 Pro	1
Dual Angle Smith Machine	1
Functional Trainer	1
Adjustable Bench	3
2 / 3 Tier Weight Rack	1
Hex / CPU / Chromed Dumbbell Set	1
Chromed / Rubber Weight Plate Set	1
Apex Pin Loaded Leg Press	1
Apex Pin Loaded Leg Extension / Leg Curl	1
Apex Pin Loaded Multi Press	1
Apex Pin Loaded Lat Pull / Seated Row	1
Apex Pin Loaded Pec Fly / Rear Delt	1
Apex Pin Loaded Bicep / Tricep	1

110m² / 1184 ft²



BLACK SERIES UPRIGHT BIKE

SK-BLK-UB

- SET UP SIZE (IN/MM): 53.14 X 22.83 X 56.70 IN / 1350 X 580 X 1440 MM
- MAX USER WEIGHT (LB/KG): 180KG
- DRIVE SYSTEM: 250W SELF-GENERATOR / EMS (28LB/11.5KG)
- RESISTANCE LEVELS: 32 LEVELS (ELECTROMAGNETIC)
- CONSOLE: 15.6 IN. LED
- CONSOLE FUNCTIONS: TIME, PULSE, SPEED, RPM, DISTANCE, CALORIES, RECOVERY, RESET, BODYFAT



53.14 X 22.83 X 56.70 IN



396 LB / 180KG



TRINITY SPINNING BIKE

SK-TRIN-SPINBIKE

- SET UP SIZE (IN/MM): 45.67 X 24.80 X 44.49 IN / 1160 X 630 X 1130 MM
- MAX USER WEIGHT (LB/KG): 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 2.5 MM
- RESISTANCE TYPE: MAGNETIC
- LEVELS OF RESISTANCE: 1-32



45.67 X 24.80 X 44.49 IN



330 LB / 150 KG



BLACK SERIES RECUMBENT BIKE

SK-BLK-RB

- SET UP SIZE (IN/MM): 65.55 X 25.99 X 51.97 IN / 1665 X 660 X 1320 MM
- MAX USER WEIGHT (LB/KG): 396 LB / 180KG
- DRIVE SYSTEM: 250W SELF-GENERATOR / EMS (28LB/11.5KG)
- RESISTANCE LEVELS: 32 LEVELS (ELECTROMAGNETIC)
- CONSOLE: 15.6 IN. LED
- CONSOLE FUNCTIONS: TIME, PULSE, SPEED, RPM, DISTANCE, CALORIES, RECOVERY, RESET, BODYFAT



65.55 X 25.99 X 51.97 IN



396 LB / 180KG



BLACK SERIES ELLIPTICAL PRO

SK-BLK-ELIP-PRO

- SET UP SIZE (IN/MM): 75.60 X 35.83 X 71.65 IN / 1920 X 910 X 1820 MM
- MAX USER WEIGHT (LB/KG): 396LB / 180KG
- DRIVE SYSTEM: 250W SELF-GENERATOR / EMS (25LB/10.8KG)
- RESISTANCE LEVELS: 32 LEVELS (ELECTROMAGNETIC)
- CONSOLE: 15.6 IN. LED
- CONSOLE FUNCTIONS: TIME, PULSE, SPEED, RPM, DISTANCE, CALORIES, RECOVERY, RESET, BODYFAT



75.60 X 35.83 X 71.65 IN



396 LB / 180KG



COMMERCIAL STAIR MILL - LED MONITOR

SK-SC-01

- SET UP SIZE (IN/MM): 64.96 X 31.10 X 89.96 IN / 1650 X 790 X 2285 MM
- STEP SIZE (IN/MM): 19.69 X 10.24 X 7.20 IN / 500 X 260 X 183 MM
- MAX USER WEIGHT: 352.74 LBS / 160 KGS
- SCREEN TYPE: LED
- SPEED RANGE: 15 LEVELS / 14-160 PACE/MIN
- EFFECTIVE STEP: 3
- TOTAL STEPS: 8
- LED FUNCTIONS: 36 PRE-SET PROGRAMS, 3 USER MANUAL AND 1 MANUAL, WIRELESS CHARGER, AUTO STOP WITHOUT LOADING OR STOP IF LOADING BELOW 35±5 KGS, ANTI-ROLLING PROTECTION, CONTINUOUS LIGHT LINE ON COVER WITH RED START AND GREEN STOP.



64.96 X 31.10 X 89.96 IN



352.74 LBS / 160 KG



BLACK SERIES TREADMILL 5.0 LED

SK-BLK-TREAD-5.0-LED

- SET UP SIZE (IN/MM): 84.45 X 37 X 63 IN / 2145 X 940 X 1600 MM
- MAX USER WEIGHT (LB/KG): 396 LBS / 180 KG
- SPEED (KPH/MPH): 0.6-13 MPH / 1-22 KPH
- SIZE OF MOTOR: 5 HP AC (3HP CONT. POWER)
- ELEVATION RANGE: -3%-15% LEVELS
- RUNNING DECK SIZE: 63.00*23.67 IN / 1600*600 MM
- RUNNING BOARD AND BELT SPEC: PHENOLIC BOARD (1.1IN/28MM THICKNESS) AND TELLINGFINE PRE-LUBRICATED RUNNING BELT
- SCREEN TYPE: 21.5 IN LED
- COMPUTER FUNCTIONS: TIME, SPEED, DISTANCE, INCLINE, STEP, CALORIES, PACE, PULSE, AND PRESET WORKOUTS
- SCREEN FEATURES: WIRELESS CHARGER, BLUETOOTH MUSIC, BLUETOOTH APP (KINOMAP & ZWIFT).
- UNIT WEIGHT: 380LB / 173 KG



84.45 X 37 X 63 IN



396 LBS / 180 KG



MOUNTAIN 50 PRO

SK-MOUNTAIN50-PRO

- AC MOTOR : 5.0HP PEAK/2.5HP CONT.
- SPEED RANGE: 0-10MP/H (0.5-16KM/H) - 5 QUICK SPEED KEYS
- SET UP SIZE: 61 X 36 X 69IN (1545 X 920 X 1755MM)
- CONSOLE: LARGE WINDOW LED, MP3, AUDIO OUTPUT; MUSICPLAY KEYS, IPAD STAND, MODES (MANUAL +P1-12 +U1-U3)
- MOTOR INCLINE: 5-50% - 6 QUICK INCLINE KEYS
- RUNNING SURFACE: 51 X 20IN (1300 X 510MM)
- ERGONOMIC HANDRAIL FOR CLIMB TRAINING
- MAX USER WEIGHT: 330LB/150KG



61 X 36 X 69 IN



330 LB / 150 KG



DUAL ANGLE SMITH

SK-SM-01


- SET UP SIZE (IN/MM): 59.92 X 58.43 X 92.60 IN / 1522 X 1484 X 2352 MM
- MAX LOAD WEIGHT: 250 KG / 551 LB
- STEEL THICKNESS (IN/MM): ALL FOAM SUPPORT TUBES, CONNECTION FRAMES: 0.12IN / 3.0 MM
- FRONT BASE FRAME, REAR UPRIGHT FRAME, ADJUSTABLE TUBES (SOLID STEEL): 0.10IN / 2.5 MM.
- UPPER REAR UPRIGHT FRAME: 0.08IN / 2.0 MM



59.92 X 58.43 X 92.60 IN



551 LB / 250 KG



FUNCTIONAL TRAINER

SK-FT-01

- SET UP SIZE (IN/MM): 81.50 X 48.03 X 90.55 IN / 2070 X 1220 X 2300 MM
- MAX USER WEIGHT: 331 LB / 150 KG
- WEIGHT STACK: 291 LBS / 132 KG x 2 SETS
- STEEL THICKNESS (IN/MM): MAIN STRUCTURE: 0.12IN / 3MM
- ADJUSTABLE TUBE (SOLID STEEL): 0.10IN / 2.5 MM
- SUPPORT TUBES: 0.10IN / 2.5 MM
- PULLEYS: NYLON
- 2 X HI - LO PULLEY RATIO: 2:1



81.50 X 48.03 X 90.55 IN



330 LB / 150 KG

ADJUSTABLE BENCH

SK-B-13

- SET UP SIZE (IN/MM): 41 X 29 X 19 IN / 1035 X 730 X 470 MM



41 X 29 X 19 IN



APEX PIN LOADED LEG PRESS

SK-APEX-20

- SET UP SIZE: 44.17 X 71.06 X 72.05 IN / 1122 X 1805 X 1830 MM
- WEIGHT STACK: 140 KG / 308 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM
- PULL-PINS AND SOLID BIOMECHANICS



44.17 X 71.06 X 72.05 IN



330 LB / 150 KG



APEX PIN LOADED LEG EXTENSION / LEG CURL

SK-APEX-29

- SET UP SIZE: 41.34 X 44.49 X 59.84 IN / 1050 X 1130 X 1520 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM
- PULL-PINS AND SOLID BIOMECHANICS



41.34 X 44.49 X 59.84 IN



330 LB / 150 KG



APEX PIN LOADED MULTIPRESS

SK-APEX-03

- SET UP SIZE: 51.81 X 72.13 X 59.84 IN / 1316 X 1832 X 1520 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM
- PULL-PINS AND SOLID BIOMECHANICS



51.81 X 72.13 X 59.84 IN



330 LB / 150 KG



APEX PIN LOADED LAT PULL/SEATED ROW

SK-APEX-05

- SET UP SIZE: 37.44 X 78.27 X 84.92 IN / 951 X 1988 X 2157 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM
- PULL-PINS AND SOLID BIOMECHANICS



37.44 X 78.27 X 84.92 IN



330 LB / 150 KG



APEX PIN LOADED PEC FLY / REAR DELT

SK-APEX-07

- SET UP SIZE: 58.70 X (1010-329) X 79.29 IN / 1491 X (1010-329) X 2014 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM
- PULL-PINS AND SOLID BIOMECHANICS



58.70 X (1010-329) X 79.29 IN



330 LB / 150 KG



APEX PIN LOADED BICEP / TRICEP

SK-APEX-09

- SET UP SIZE: 45.83 X 41.38 X 59.84 IN / 1164 X 1051 X 1520 MM
- WEIGHT STACK: 90 KG / 198 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM
- PULL-PINS AND SOLID BIOMECHANICS



45.83 X 41.38 X 59.84 IN



330 LB / 150 KG



DUMBBELL RACK 2 - 10

SK-WRK-02

- SET UP SIZE (IN/MM): 98.23 X 29.84 X 22.80 IN / 2495 X 758 X 579 MM
- MAX LOAD WEIGHT: 600 KG / 1323 LB
- STEEL THICKNESS (IN/MM): ALL STRUCTURES: 0.12IN / 3.0 MM
- CAN STORE MULTIPLE DUMBBELL SHAPE TYPES: YES



98.23 X 29.84 X 22.80 IN



1323 LB / 600 KG



DUMBBELL RACK 3 - 15

SK-WRK-03

- SET UP SIZE (IN/MM): 98.23 X 27.91 X 40.79 IN / 2495 X 709 X 1036 MM
- MAX LOAD WEIGHT: TOTAL MAX LOAD: 310 KG / 683 LB (SAFETY FACTOR 2.0). STORAGE TRAYS: 70 KG / 154 LB PER TIER (3 TIERS TOTAL). STORAGE PEGS: 20 KG / 44 LB PER PAIR (5 PAIRS TOTAL)
- STEEL THICKNESS (IN/MM): ALL STRUCTURES: 0.12IN / 3.0 MM



98.23 X 27.91 X 40.79 IN



683 LB / 310 KG




HEX RUBBER DUMBBELL

SK-SH002

- RUBBER MATERIAL
- CHROME HANDLE
- PARTIALLY KNURLED GRIP
- HEXAGONAL DESIGN TO PREVENT ROLLING

5 LB	Qty. 2
10 LB	Qty. 2
15 LB	Qty. 2
20 LB	Qty. 2
25 LB	Qty. 2
30 LB	Qty. 2
35 LB	Qty. 2
40 LB	Qty. 2
45 LB	Qty. 2
50 LB	Qty. 2



CPU DUMBBELL

SK-RND-CPU

- URETHANE MATERIAL
- CHROME HANDLE
- PARTIALLY KNURLED GRIP

5 LB	Qty. 2
10 LB	Qty. 2
15 LB	Qty. 2
20 LB	Qty. 2
25 LB	Qty. 2
30 LB	Qty. 2
35 LB	Qty. 2
40 LB	Qty. 2
45 LB	Qty. 2
50 LB	Qty. 2



CHROMED STEEL DUMBBELLS

SK-CHROMED-DB

- CHROMED STEEL DUMBBELL
- KNURLED GRIP
- RAISED RUBBER LOGO

5 LB	Qty. 2
10 LB	Qty. 2
15 LB	Qty. 2
20 LB	Qty. 2
25 LB	Qty. 2
30 LB	Qty. 2
35 LB	Qty. 2
40 LB	Qty. 2
45 LB	Qty. 2
50 LB	Qty. 2



OLYMPIC RUBBER WEIGHT PLATES

SK-RUBBER-OLIPLATE

- OLYMPIC STYLE PLATE MADE FROM VIRGIN RUBBER
- CHROMED STEEL INSERT
- IWF STANDARD DIAMETER
- DIAMETER OF HOLE: 2IN (51MM)

5 LB	Qty. 2
10 LB	Qty. 2
25 LB	Qty. 2
45 LB	Qty. 2




CHROMED STEEL WEIGHT PLATES WITH HANDLE

SK-CRMEWP-PLWH

- CHROMED STEEL WEIGHT PLATE
- DIAMETER CENTER HOLE: 2IN (51MM)
- THICKNESS: 0.6IN (16.2MM)

10 LB	Qty. 2
25 LB	Qty. 2
35 LB	Qty. 2
45 LB	Qty. 2

PACKAGE 4



14000

14000

196m² / 2110 ft²

PACKAGE 4 EQUIPMENT	QTY
Black Series Upright Bike	2
Trinity Spinning Bike	1
Black Series Recumbent Bike	1
Black Series Elliptical Pro	2
Commercial Stair Mill - LED / TFT	1
Black Series Treadmill 5.0	5
Mountain 50 Pro	1
Dual Angle Smith Machine	1
Functional Trainer	2
Multi Jungle - 4 Station	1
Adjustable Bench	3
2 / 3 Tier Weight Rack	1
Hex / CPU / Chromed Dumbbell Set	1
Chromed / Rubber Weight Plate Set	1
Apex Pin Loaded Leg Press	1
Apex Pin Loaded Leg Extension / Leg Curl	1
Apex Pin Loaded Multi Press	1
Apex Pin Loaded Lat Pull / Seated Row	1
Apex Pin Loaded Pec Fly / Rear Delt	1
Apex Pin Loaded Bicep / Tricep	1
Apex Pin Loaded Adductor / Abductor	1
Apex Pin Loaded Standing Hip Thrust	1
Apex Pin Loaded Pivot Hip Thrust	1



BLACK SERIES UPRIGHT BIKE

SK-BLK-UB

- SET UP SIZE (IN/MM): 53.14 X 22.83 X 56.70 IN / 1350 X 580 X 1440 MM
- MAX USER WEIGHT (LB/KG): 180KG
- DRIVE SYSTEM: 250W SELF-GENERATOR / EMS (28LB/11.5KG)
- RESISTANCE LEVELS: 32 LEVELS (ELECTROMAGNETIC)
- CONSOLE: 15.6 IN. LED
- CONSOLE FUNCTIONS: TIME, PULSE, SPEED, RPM, DISTANCE, CALORIES, RECOVERY, RESET, BODYFAT



53.14 X 22.83 X 56.70 IN



396 LB / 180KG



TRINITY SPINNING BIKE

SK-TRIN-SPINBIKE

- SET UP SIZE (IN/MM): 45.67 X 24.80 X 44.49 IN / 1160 X 630 X 1130 MM
- MAX USER WEIGHT (LB/KG): 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 2.5 MM
- RESISTANCE TYPE: MAGNETIC
- LEVELS OF RESISTANCE: 1-32



45.67 X 24.80 X 44.49 IN



330 LB / 150 KG



BLACK SERIES RECUMBENT BIKE

SK-BLK-RB

- SET UP SIZE (IN/MM): 65.55 X 25.99 X 51.97 IN / 1665 X 660 X 1320 MM
- MAX USER WEIGHT (LB/KG): 396 LB / 180KG
- DRIVE SYSTEM: 250W SELF-GENERATOR / EMS (28LB/11.5KG)
- RESISTANCE LEVELS: 32 LEVELS (ELECTROMAGNETIC)
- CONSOLE: 15.6 IN. LED
- CONSOLE FUNCTIONS: TIME, PULSE, SPEED, RPM, DISTANCE, CALORIES, RECOVERY, RESET, BODYFAT



65.55 X 25.99 X 51.97 IN



396 LB / 180KG



BLACK SERIES ELLIPTICAL PRO

SK-BLK-ELIP-PRO

- SET UP SIZE (IN/MM): 75.60 X 35.83 X 71.65 IN / 1920 X 910 X 1820 MM
- MAX USER WEIGHT (LB/KG): 396LB / 180KG
- DRIVE SYSTEM: 250W SELF-GENERATOR / EMS (25LB/10.8KG)
- RESISTANCE LEVELS: 32 LEVELS (ELECTROMAGNETIC)
- CONSOLE: 15.6 IN. LED
- CONSOLE FUNCTIONS: TIME, PULSE, SPEED, RPM, DISTANCE, CALORIES, RECOVERY, RESET, BODYFAT



75.60 X 35.83 X 71.65 IN



396 LB / 180KG



COMMERCIAL STAIR MILL - LED MONITOR

SK-SC-01

- SET UP SIZE (IN/MM): 64.96 X 31.10 X 89.96 IN / 1650 X 790 X 2285 MM
- STEP SIZE (IN/MM): 19.69 X 10.24 X 7.20 IN / 500 X 260 X 183 MM
- MAX USER WEIGHT: 352.74 LBS / 160 KGS
- SCREEN TYPE: LED
- SPEED RANGE: 15 LEVELS / 14-160 PACE/MIN
- EFFECTIVE STEP: 3
- TOTAL STEPS: 8
- LED FUNCTIONS: 36 PRE-SET PROGRAMS, 3 USER MANUAL AND 1 MANUAL, WIRELESS CHARGER, AUTO STOP WITHOUT LOADING OR STOP IF LOADING BELOW 35±5 KGS, ANTI-ROLLING PROTECTION, CONTINUOUS LIGHT LINE ON COVER WITH RED START AND GREEN STOP.



64.96 X 31.10 X 89.96 IN



352.74 LBS / 160 KG



COMMERCIAL STAIR MILL - 23.8" TFT MONITOR

SK-SC-02

- SET UP SIZE (IN/MM): 64.96 X 31.10 X 89.96 IN / 1650 X 790 X 2285 MM
- STEP SIZE (IN/MM): 19.69 X 10.24 X 7.20 IN / 500 X 260 X 183 MM
- MAX USER WEIGHT: 352.74 LBS / 160 KGS
- SCREEN TYPE: 23.8" TFT
- SPEED RANGE: 15 LEVELS / 14-160 PACE/MIN
- EFFECTIVE STEP: 3
- TOTAL STEP: 8
- TFT FUNCTIONS: 36 PRE-SET PROGRAMS, 3 USER MANUAL AND 1 MANUAL, WIRELESS CHARGER, AUTO STOP WITHOUT LOADING OR STOP IF LOADING BELOW 35±5 KGS, ANTI-ROLLING PROTECTION, VIRTUAL VIDEO, BLUETOOTH HEADPHONE OUTPUT, BLUETOOTH HEART RATE RECEIVER, USB PORT, CONTINUOUS LIGHT LINE ON COVER WITH RED START AND GREEN STOP.



64.96 X 31.10 X 89.96 IN



352.74 LBS / 160 KG



BLACK SERIES TREADMILL 5.0 LED

SK-BLK-TREAD-5.0-LED

- SET UP SIZE (IN/MM): 84.45 X 37 X 63 IN / 2145 X 940 X 1600 MM
- MAX USER WEIGHT (LB/KG): 396 LBS / 180 KG
- SPEED (KPH/MPH): 0.6-13 MPH / 1-22 KPH
- SIZE OF MOTOR: 5 HP AC (3HP CONT. POWER)
- ELEVATION RANGE: -3%-15% LEVELS
- RUNNING DECK SIZE: 63.00*23.67 IN / 1600*600 MM
- RUNNING BOARD AND BELT SPEC: PHENOLIC BOARD (1.1IN/28MM THICKNESS) AND TELLINGFINE PRE-LUBRICATED RUNNING BELT
- SCREEN TYPE: 21.5 IN LED
- COMPUTER FUNCTIONS: TIME, SPEED, DISTANCE, INCLINE, STEP, CALORIES, PACE, PULSE, AND PRESET WORKOUTS
- SCREEN FEATURES: WIRELESS CHARGER, BLUETOOTH MUSIC, BLUETOOTH APP (KINOMAP & ZWIFT).
- UNIT WEIGHT: 380LB / 173 KG



84.45 X 37 X 63 IN



396 LB / 180KG



MOUNTAIN 50 PRO

SK-MOUNTAIN50-PRO

- AC MOTOR : 5.0HP PEAK/2.5HP CONT.
- SPEED RANGE: 0-10MP/H (0.5-16KM/H) - 5 QUICK SPEED KEYS
- SET UP SIZE: 61 X 36 X 69IN (1545 X 920 X 1755MM)
- CONSOLE: LARGE WINDOW LED, MP3, AUDIO OUTPUT; MUSICPLAY KEYS, IPAD STAND, MODES (MANUAL +P1-12 +U1-U3)
- MOTOR INCLINE: 5-50% - 6 QUICK INCLINE KEYS
- RUNNING SURFACE: 51 X 20IN (1300 X 510MM)
- ERGONOMIC HANDRAIL FOR CLIMB TRAINING
- MAX USER WEIGHT: 330LB/150KG



61 X 36 X 69IN



330 LB / 150 KG



DUAL ANGLE SMITH

SK-SM-01

- SET UP SIZE (IN/MM): 59.92 X 58.43 X 92.60 IN / 1522 X 1484 X 2352 MM
- MAX LOAD WEIGHT: 250 KG / 551 LB
- STEEL THICKNESS (IN/MM): ALL FOAM SUPPORT TUBES, CONNECTION FRAMES: 0.12IN / 3.0 MM
- FRONT BASE FRAME, REAR UPRIGHT FRAME, ADJUSTABLE TUBES (SOLID STEEL): 0.10IN / 2.5 MM.
- UPPER REAR UPRIGHT FRAME: 0.08IN / 2.0 MM



59.92 X 58.43 X 92.60 IN



551 LB / 250 KG



FUNCTIONAL TRAINER

SK-FT-01

- SET UP SIZE (IN/MM): 81.50 X 48.03 X 90.55 IN / 2070 X 1220 X 2300 MM
- MAX USER WEIGHT: 331 LB / 150 KG
- WEIGHT STACK: 291 LBS / 132 KG x 2 SETS
- STEEL THICKNESS (IN/MM): MAIN STRUCTURE: 0.12IN / 3MM
- ADJUSTABLE TUBE (SOLID STEEL): 0.10IN / 2.5 MM
- SUPPORT TUBES: 0.10IN / 2.5 MM
- PULLEYS: NYLON
- 2 X HI - LO PULLEY RATIO: 2:1



81.50 X 48.03 X 90.55 IN



331 LB / 150 KG



MULTI JUNGLE - 4 STATION

SK-MLT-04

- SET UP SIZE (IN/MM): 136.06 X 91.77 X 89.53 IN / 3456 X 2331 X 2274 MM
- MAX USER WEIGHT: 331 LB / 150 KG
- WEIGHT STACK: 91 KG x 2 SETS / 132 KG x 2 SETS
- NYLON PULLEYS
- **CONFIGURATION:**
- 1 x LAT PULLDOWN (RATIO 1:1)
- 1 x ROW (RATIO 1:1)
- 2 x HI-LO PULLEY (RATIO 2:1)



136.06 X 91.77 X 89.53 IN



331 LB / 150 KG



ADJUSTABLE BENCH

SK-B-13

- SET UP SIZE (IN/MM): 41 X 29 X 19 IN / 1035 X 730 X 470 MM



41 X 29 X 19 IN



APEX PIN LOADED LEG PRESS

SK-APEX-20

- SET UP SIZE: 44.17 X 71.06 X 72.05 IN / 1122 X 1805 X 1830 MM
- WEIGHT STACK: 140 KG / 308 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM
- PULL-PINS AND SOLID BIOMECHANICS



44.17 X 71.06 X 72.05 IN



330 LB / 150 KG



APEX PIN LOADED LEG EXTENSION / LEG CURL

SK-APEX-29

- SET UP SIZE: 41.34 X 44.49 X 59.84 IN / 1050 X 1130 X 1520 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM
- PULL-PINS AND SOLID BIOMECHANICS



41.34 X 44.49 X 59.84 IN



330 LB / 150 KG



APEX PIN LOADED MULTIPRESS

SK-APEX-03

- SET UP SIZE: 51.81 X 72.13 X 59.84 IN / 1316 X 1832 X 1520 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM
- PULL-PINS AND SOLID BIOMECHANICS



51.81 X 72.13 X 59.84 IN



330 LB / 150 KG



APEX PIN LOADED LAT PULL/SEATED ROW

SK-APEX-05

- SET UP SIZE: 37.44 X 78.27 X 84.92 IN / 951 X 1988 X 2157 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM
- PULL-PINS AND SOLID BIOMECHANICS



37.44 X 78.27 X 84.92 IN



330 LB / 150 KG



APEX PIN LOADED PEC FLY / REAR DELT

SK-APEX-07

- SET UP SIZE: 58.70 X (1010-329) X 79.29 IN / 1491 X (1010-329) X 2014 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM
- PULL-PINS AND SOLID BIOMECHANICS



58.70 X (1010-329) X 79.29 IN



330 LB / 150 KG



APEX PIN LOADED BICEP / TRICEP

SK-APEX-09

- SET UP SIZE: 45.83 X 41.38 X 59.84 IN / 1164 X 1051 X 1520 MM
- WEIGHT STACK: 90 KG / 198 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM
- PULL-PINS AND SOLID BIOMECHANICS



45.83 X 41.38 X 59.84 IN



330 LB / 150 KG



APEX PIN LOADED ADDUCTOR / ABDUCTOR

SK-APEX-22

- SET UP SIZE (IN/MM): 66.73 X 27.95 X 59.84 IN / 1695 X 710 X 1520 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



66.73 X 27.95 X 59.84 IN



330 LB / 150 KG



APEX PIN LOADED STANDING HIP THRUST

SK-APEX-25

- SET UP SIZE (IN/MM): 51.57 X 27.95 X 59.84 IN / 1310 X 710 X 1520 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



51.57 X 27.95 X 59.84 IN



330 LB / 150 KG



APEX PIN LOADED PIVOT HIP THRUST

SK-APEX-27

- SET UP SIZE (IN/MM): 80.71 X 39.76 X 66.14 IN / 2050 X 1010 X 1680 MM
- WEIGHT STACK: 120 KG / 264 LB
- MAX USER WEIGHT: 330 LB / 150 KG
- STEEL THICKNESS (IN/MM): 0.12IN / 3 MM
- SLEEK MODERN SQUARE STEEL SHROUD
- DURABLE RUBBERIZED HANDLES, ALUMINIUM PULL-PINS AND SOLID BIOMECHANICS



80.71 X 39.76 X 66.14 IN



330 LB / 150 KG



DUMBBELL RACK 2 - 10

SK-WRK-02

- SET UP SIZE (IN/MM): 98.23 X 29.84 X 22.80 IN / 2495 X 758 X 579 MM
- MAX LOAD WEIGHT: 600 KG / 1323 LB
- STEEL THICKNESS (IN/MM): ALL STRUCTURES: 0.12IN / 3.0 MM
- CAN STORE MULTIPLE DUMBBELL SHAPE TYPES: YES



98.23 X 29.84 X 22.80 IN



1323 LB / 600 KG



DUMBBELL RACK 3 - 15

SK-WRK-03

- SET UP SIZE (IN/MM): 98.23 X 27.91 X 40.79 IN / 2495 X 709 X 1036 MM
- MAX LOAD WEIGHT: TOTAL MAX LOAD: 310 KG / 683 LB (SAFETY FACTOR 2.0). STORAGE TRAYS: 70 KG / 154 LB PER TIER (3 TIERS TOTAL). STORAGE PEGS: 20 KG / 44 LB PER PAIR (5 PAIRS TOTAL)
- STEEL THICKNESS (IN/MM): ALL STRUCTURES: 0.12IN / 3.0 MM



98.23 X 27.91 X 40.79 IN



683 LB / 310 KG




HEX RUBBER DUMBBELL

SK-SH002

- RUBBER MATERIAL
- CHROME HANDLE
- PARTIALLY KNURLED GRIP
- HEXAGONAL DESIGN TO PREVENT ROLLING

5 LB	Qty. 2
10 LB	Qty. 2
15 LB	Qty. 2
20 LB	Qty. 2
25 LB	Qty. 2
30 LB	Qty. 2
35 LB	Qty. 2
40 LB	Qty. 2
45 LB	Qty. 2
50 LB	Qty. 2



CPU DUMBBELL

SK-RND-CPU

- URETHANE MATERIAL
- CHROME HANDLE
- PARTIALLY KNURLED GRIP

5 LB	Qty. 2
10 LB	Qty. 2
15 LB	Qty. 2
20 LB	Qty. 2
25 LB	Qty. 2
30 LB	Qty. 2
35 LB	Qty. 2
40 LB	Qty. 2
45 LB	Qty. 2
50 LB	Qty. 2



CHROMED STEEL DUMBBELLS

SK-CHROMED-DB

- CHROMED STEEL DUMBBELL
- KNURLED GRIP
- RAISED RUBBER LOGO

5 LB	Qty. 2
10 LB	Qty. 2
15 LB	Qty. 2
20 LB	Qty. 2
25 LB	Qty. 2
30 LB	Qty. 2
35 LB	Qty. 2
40 LB	Qty. 2
45 LB	Qty. 2
50 LB	Qty. 2



OLYMPIC RUBBER WEIGHT PLATES

SK-RUBBER-OLIPLATE

- OLYMPIC STYLE PLATE MADE FROM VIRGIN RUBBER
- CHROMED STEEL INSERT
- IWF STANDARD DIAMETER
- DIAMETER OF HOLE: 2IN (51MM)

5 LB	Qty. 2
10 LB	Qty. 2
25 LB	Qty. 2
45 LB	Qty. 2



CHROMED STEEL WEIGHT PLATES WITH HANDLE

SK-CRMEWP-PLWH

- CHROMED STEEL WEIGHT PLATE
- DIAMETER CENTER HOLE: 2IN (51MM)
- THICKNESS: 0.6IN (16.2MM)

10 LB	Qty. 2
25 LB	Qty. 2
35 LB	Qty. 2
45 LB	Qty. 2



SKELCORE